


# Discovery could dramatically boost efficiency of perovskite solar cells

July 4 2016

---



This atomic force microscopy image of the grainy surface of a perovskite solar cell reveals a new path to much greater efficiency. Individual grains are outlined in black, low-performing facets are red, and high-performing facets are green. A big jump in efficiency could possibly be obtained if the material can be grown so that more high-performing facets develop. Credit: Berkeley Lab

Scientists from the Department of Energy's Lawrence Berkeley National Laboratory (Berkeley Lab) have discovered a possible secret to dramatically boosting the efficiency of perovskite solar cells hidden in the nanoscale peaks and valleys of the crystalline material.

Solar cells made from compounds that have the crystal structure of the mineral perovskite have captured scientists' imaginations. They're inexpensive and easy to fabricate, like organic [solar cells](#). Even more intriguing, the efficiency at which perovskite solar cells convert photons to electricity has increased more rapidly than any other material to date, starting at three percent in 2009—when researchers first began exploring the material's photovoltaic capabilities—to 22 percent today. This is in the ballpark of the efficiency of [silicon solar cells](#).

Now, as reported online July 4, 2016 in the journal *Nature Energy*, a team of scientists from the Molecular Foundry and the Joint Center for Artificial Photosynthesis, both at Berkeley Lab, found a surprising characteristic of a perovskite solar cell that could be exploited for even higher efficiencies, possibly up to 31 percent.

Using photoconductive [atomic force microscopy](#), the scientists mapped two properties on the active layer of the solar cell that relate to its photovoltaic efficiency. The maps revealed a bumpy surface composed of grains about 200 nanometers in length, and each grain has multi-angled facets like the faces of a gemstone.

Unexpectedly, the scientists discovered a huge difference in energy conversion efficiency between facets on individual grains. They found poorly performing facets adjacent to highly efficient facets, with some facets approaching the material's theoretical energy conversion limit of 31 percent.

The scientists say these top-performing facets could hold the secret to highly efficient solar cells, although more research is needed.

"If the material can be synthesized so that only very efficient facets develop, then we could see a big jump in the efficiency of perovskite solar cells, possibly approaching 31 percent," says Sibel Leblebici, a postdoctoral researcher at the Molecular Foundry.

Leblebici works in the lab of Alexander Weber-Bargioni, who is a corresponding author of the paper that describes this research. Ian Sharp, also a corresponding author, is a Berkeley Lab scientist at the Joint Center for Artificial Photosynthesis. Other Berkeley Lab scientists who contributed include Linn Leppert, Francesca Toma, and Jeff Neaton, the director of the Molecular Foundry.

## **A team effort**

The research started when Leblebici was searching for a new project. "I thought perovskites are the most exciting thing in solar right now, and I really wanted to see how they work at the nanoscale, which has not been widely studied," she says.

She didn't have to go far to find the material. For the past two years, scientists at the nearby Joint Center for Artificial Photosynthesis have been making thin films of perovskite-based compounds, and studying their ability to convert sunlight and CO<sub>2</sub> into useful chemicals such as fuel. Switching gears, they created perovskite solar cells composed of

methyammonium lead iodide. They also analyzed the cells' performance at the macroscale.

The scientists also made a second set of half cells that didn't have an electrode layer. They packed eight of these cells on a thin film measuring one square centimeter. These films were analyzed at the Molecular Foundry, where researchers mapped the cells' surface topography at a resolution of ten nanometers. They also mapped two properties that relate to the cells' photovoltaic efficiency: photocurrent generation and open circuit voltage.

This was performed using a state-of-the-art atomic force microscopy technique, developed in collaboration with Park Systems, which utilizes a conductive tip to scan the material's surface. The method also eliminates friction between the tip and the sample. This is important because the material is so rough and soft that friction can damage the tip and sample, and cause artifacts in the photocurrent.

## **Surprise discovery could lead to better solar cells**

The resulting maps revealed an order of magnitude difference in photocurrent generation, and a 0.6-volt difference in open circuit voltage, between facets on the same grain. In addition, facets with high photocurrent generation had high open circuit voltage, and facets with low photocurrent generation had low open circuit voltage.

"This was a big surprise. It shows, for the first time, that [perovskite solar cells](#) exhibit facet-dependent photovoltaic efficiency," says Weber-Bargioni.

Adds Toma, "These results open the door to exploring new ways to control the development of the material's facets to dramatically increase efficiency."

In practice, the facets behave like billions of tiny solar cells, all connected in parallel. As the scientists discovered, some cells operate extremely well and others very poorly. In this scenario, the current flows towards the bad cells, lowering the overall performance of the material. But if the material can be optimized so that only highly efficient facets interface with the electrode, the losses incurred by the poor facets would be eliminated.

"This means, at the macroscale, the material could possibly approach its theoretical energy conversion limit of 31 percent," says Sharp.

A theoretical model that describes the experimental results predicts these facets should also impact the emission of light when used as an LED. Linn Leppert, Sebastian Reyes-Lillo, and Jeff Neaton performed this particular work.

The Molecular Foundry is a DOE Office of Science User Facility located at Berkeley Lab. The Joint Center for Artificial Photosynthesis is a DOE Energy Innovation Hub led by the California Institute of Technology in partnership with Berkeley Lab.

**More information:** Facet-dependent photovoltaic efficiency variations in single grains of hybrid halide perovskite, *Nature Energy*, [DOI: 10.1038/nenergy.2016.93](https://doi.org/10.1038/nenergy.2016.93)

Provided by Lawrence Berkeley National Laboratory

Citation: Discovery could dramatically boost efficiency of perovskite solar cells (2016, July 4) retrieved 30 April 2024 from <https://techxplore.com/news/2016-07-discovery-boost-efficiency-perovskite-solar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.