

Optical fiber transmits one terabit per second

September 19 2016



TUM researchers (l-r) Fabian Steiner, Georg Böcherer, and Patrick Schulte with the statue of Claude Shannon, father of information theory – Image: Denise Panyik-Dale/Alcatel-Lucent

Nokia Bell Labs, Deutsche Telekom T-Labs and the Technical



University of Munich (TUM) have achieved unprecedented transmission capacity and spectral efficiency in an optical communications field trial with a new modulation technique. The breakthrough research could extend the capability of optical networks to meet surging data traffic demands.

In an optical communications field trial Nokia Bell Labs, Deutsche Telekom T-Labs and the TU Munich showed that the flexibility and performance of optical networks can be maximized when adjustable transmission rates are dynamically adapted to channel conditions and traffic demands. As part of the Safe and Secure European Routing (SASER) project, the experiment over a deployed <u>optical fiber</u> network of Deutsche Telekom achieved a net transmission rate of one Terabit.

This is close to the the theoretical maximum information transfer rate of that channel and thus approaching the Shannon Limit of the fiber link. The Shannon Limit was discovered in 1948 by Claude Shannon, Bell Labs pioneer and the "father of information theory."

Novel modulation approach

The trial of the novel modulation approach, known as Probabilistic Constellation Shaping (PCS), uses quadrature amplitude modulation (QAM) formats to achieve higher <u>transmission capacity</u> over a given channel to significantly improve the spectral efficiency of optical communications.

PCS modifies the probability with which constellation points – the alphabet of the transmission – are used. Traditionally, all constellation points are used with the same frequency. PCS cleverly uses constellation points with high amplitude less frequently than those with lesser amplitude to transmit signals that, on average, are more resilient to noise and other impairments. This allows the transmission rate to be tailored to



ideally fit the transmission channel, delivering up to 30 percent greater reach.

Maximal transmission capacity

It was 50 years ago when optical fiber was introduced. With the promise of 5G wireless technology on the horizon, optical transport systems today continue to evolve to help telecommunications operators and enterprises meet network data traffic growing at a cumulative annual rate of up to 100 percent.

PCS is now part of this evolution by enabling increases in optical fiber flexibility and performance that can move <u>data traffic</u> faster and over greater distances without increasing the optical network complexity.

The research is a key milestone in proving PCS could be used in the future to extend optical communication technologies. The results of this joint experiment will be presented at the European Conference on Optical Communication (ECOC) 2016 in Düsseldorf, Germany on September 19.

Transmitting data faster, further, and with unparalleled flexibility

"Increased capacities, reach and flexibility over deployed fiber infrastructures," said Bruno Jacobfeuerborn, Director Technology Telekom Deutschland and CTO Deutsche Telekom. "Deutsche Telekom provides a unique network infrastructure to evaluate and demonstrate such highly innovative transmission technologies for example. Furthermore, it also supports higher layer test scenarios and technologies."



"Information theory is the mathematics of digital technology, and during the Claude E. Shannon centenary year 2016 it is thrilling to see his ideas continue to transform industries and society," said Professor Gerhard Kramer, Head of the Institute for Communications Engineering at Technical University of Munich.

"Probabilistic constellation shaping, an idea that won a Bell Labs Prize, directly applies Shannon's principles and lets fiber optic systems transmit data faster, further, and with unparalleled flexibility," added Prof. Kramer. "The success of the close collaboration with Nokia Bell Labs, who further developed the technology, and Deutsche Telekom T-Labs, who tested it under real conditions, is satisfying confirmation that TUM Engineering is a label of outstanding quality, and that TUM teaching gives our students the intellectual tools to compete, succeed and lead globally."

Marcus Weldon, president Nokia Bell Labs & Nokia CTO, said: "Future optical networks not only need to support orders of magnitude higher capacity, but also the ability to dynamically adapt to channel conditions and traffic demand. Probabilistic Constellation Shaping offers great benefits to service providers and enterprises by enabling optical networks to operate closer to the Shannon Limit to support massive datacenter interconnectivity and provide the flexibility and performance required for modern networking in the digital era."

Provided by Technical University Munich

Citation: Optical fiber transmits one terabit per second (2016, September 19) retrieved 5 May 2024 from <u>https://techxplore.com/news/2016-09-optical-fiber-transmits-terabit.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.