

A new, gel-like coating beefs up the performance of lithium-sulfur batteries

March 21 2017, by Jim Shelton



Left: Ultra-thin material on a glass slide, prepared by casting the gel-like slurry on copper foil and transferring the film. Right: An electrode coated with a layer of the new material. Credit: Yale University

Yale scientists have developed an ultra-thin coating material that has the potential to extend the life and improve the efficiency of lithium-sulfur batteries, one of the most promising areas of energy research today.

In a study published online March 20 in the *Proceedings of the National Academy of Sciences*, researchers describe the new material—a dendrimer-graphene oxide composite film—which can be applied to any



sulfur cathode. A cathode is the positive terminal on a battery.

According to the researchers, sulfur cathodes coated with the material can be stably discharged and recharged for more than 1,000 cycles, enhancing the battery's efficiency and number of cycles.

"Our approach is general in that it can be integrated with virtually any kind of sulfur electrode to increase cycling stability," said Hailiang Wang, assistant professor of chemistry at Yale, faculty member at the Yale Energy Sciences Institute at Yale West Campus, and lead investigator of the study. "The developed film is so thin and light it will not affect the overall size or weight of the battery, and thus it will function without compromising the <u>energy</u> and power density of the device."

New types of electrodes—positive and negative terminals—are considered essential for the development of a new generation of high energy-density batteries. As <u>lithium-ion batteries</u> begin to reach their capacity limits, many researchers are looking at lithium-sulfur as a solution. Sulfur is both lightweight and abundant, with a high theoretical energy capacity. However, existing lithium-sulfur battery technology suffers from a loss of capacity during cycling.

The Yale team made its discovery by combining the distinct properties of two material components. They merged the mechanical strength of graphene oxide with the ability of a dendrimer molecule to confine lithium polysulfides. The result is a gel-like slurry that can be readily coated as a 100-nanometer-thin film onto <u>sulfur</u> electrodes.

More information: Wen Liu et al. Ultrathin dendrimer–graphene oxide composite film for stable cycling lithium–sulfur batteries, *Proceedings of the National Academy of Sciences* (2017). DOI: 10.1073/pnas.1620809114



Provided by Yale University

Citation: A new, gel-like coating beefs up the performance of lithium-sulfur batteries (2017, March 21) retrieved 1 May 2024 from <u>https://techxplore.com/news/2017-03-gel-like-coating-beefs-lithium-sulfur-batteries.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.