


## 'Near-zero-power' temperature sensor could make wearables, smart home devices less power-hungry

July 3 2017, by Liezel Labios



An array of the temperature sensor chips. Credit: University of California - San Diego

Electrical engineers at the University of California San Diego have



developed a temperature sensor that runs on only 113 picowatts of power—628 times lower power than the state of the art and about 10 billion times smaller than a watt. This "near-zero-power" temperature sensor could extend the battery life of wearable or implantable devices that monitor body temperature, smart home monitoring systems, Internet of Things devices and environmental monitoring systems.


The technology could also enable a new class of devices that can be powered by harvesting energy from low-<u>power</u> sources, such as the body or the surrounding environment, researchers said. The work was published in *Scientific Reports* on June 30.

"Our vision is to make wearable devices that are so unobtrusive, so invisible that users are virtually unaware that they're wearing their wearables, making them 'unawearables.' Our new near-zero-power technology could one day eliminate the need to ever change or recharge a battery," said Patrick Mercier, an electrical engineering professor at UC San Diego Jacobs School of Engineering and the study's senior author.

"We're building systems that have such low power requirements that they could potentially run for years on just a tiny battery," said Hui Wang, an electrical engineering Ph.D. student in Mercier's lab and the first author of the study.

Building ultra-low power, miniaturized electronic devices is the theme of Mercier's Energy-Efficient Microsystems lab at UC San Diego. Mercier also serves as co-director for the Center for Wearable Sensors at UC San Diego. A big part of his group's work focuses on boosting energy efficiencies of individual parts of an integrated circuit in order to reduce the power requirement of the system as a whole.





Near-zero-power temperature sensor runs on 113 picowatts of power. Credit: David Baillot/UC San Diego Jacobs School of Engineering

One example is the <u>temperature sensor</u> found in healthcare devices or smart thermostats. While the power requirement of state-of-the-art temperature <u>sensors</u> has been reduced to as low as tens of nanowatts, the one developed by Mercier's group runs on just 113 picowatts—628 times lower power.

## **Minimizing power**

Their new approach involves minimizing power in two domains: the current source and the conversion of temperature to a digital readout.






Credit: University of California - San Diego

Researchers built an ultra-low power current source using what are called "gate leakage" transistors—transistors in which tiny levels of current leak through the electronic barrier, or the gate. Transistors typically have a gate that can turn on and off the flow of electrons. But as the size of modern transistors continues to shrink, the gate material becomes so thin that it can no longer block electrons from leaking through—a phenomenon known as the quantum tunneling effect.

Gate leakage is considered problematic in systems such as microprocessors or precision analog circuits. Here, researchers are taking advantage of it—they're using these minuscule levels of electron flow to power the circuit.

"Many researchers are trying to get rid of leakage current, but we are exploiting it to build an ultra-low power current source," Hui said.





The temperature sensor is integrated into a small chip measuring  $0.15 \times 0.15$  square millimeters in area. Credit: University of California - San Diego

Using these current sources, researchers developed a less power-hungry way to digitize temperature. This process normally requires passing current through a resistor—its resistance changes with temperature—then measuring the resulting voltage, and then converting that voltage to its corresponding temperature using a high power analog to digital converter.

Instead of this conventional process, researchers developed an innovative system to digitize temperature directly and save power. Their system consists of two ultra-low power current <u>sources</u>: one that charges a



capacitor in a fixed amount of time regardless of temperature, and one that charges at a rate that varies with temperature—slower at lower temperatures, faster at higher temperatures.

As the temperature changes, the system adapts so that the temperaturedependent current source charges in the same amount of time as the fixed current source. A built-in digital feedback loop equalizes the charging times by reconnecting the temperature-dependent current source to a capacitor of a different size—the size of this capacitor is directly proportional to the actual temperature. For example, when the temperature falls, the temperature-dependent current source will charge slower, and the feedback loop compensates by switching to a smaller capacitor, which dictates a particular digital readout.



Credit: University of California - San Diego



The temperature sensor is integrated into a small chip measuring  $0.15 \times 0.15$  square millimeters in area. It operates at temperatures ranging from minus 20 C to 40 C. Its performance is fairly comparable to that of the state of the art even at near-zero-power, researchers said. One tradeoff is that the sensor has a response time of approximately one temperature update per second, which is slightly slower than existing temperature sensors. However, this response time is sufficient for devices that operate in the human body, homes and other environments where temperature do not fluctuate rapidly, researchers said.

Moving forward, the team is working to improve the accuracy of the <u>temperature</u> sensor. The team is also optimizing the design so that it can be successfully integrated into commercial devices.

**More information:** Hui Wang et al, Near-Zero-Power Temperature Sensing via Tunneling Currents Through Complementary Metal-Oxide-Semiconductor Transistors, *Scientific Reports* (2017). <u>dx.doi.org/10.1038/s41598-017-04705-6</u>

## Provided by University of California - San Diego

Citation: 'Near-zero-power' temperature sensor could make wearables, smart home devices less power-hungry (2017, July 3) retrieved 2 May 2024 from <u>https://techxplore.com/news/2017-07-near-zero-power-temperature-sensor-wearables-smart.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.