


Paper-based supercapacitor uses metal nanoparticles to boost energy density

October 5 2017



Images show the difference between paper prior to metallization (left) and the paper coated with conductive nanoparticles. Credit: Ko et al., published in *Nature Communications*

Using a simple layer-by-layer coating technique, researchers from the U.S. and Korea [have developed a paper-based flexible supercapacitor](#) that could be used to help power wearable devices. The device uses metallic nanoparticles to coat cellulose fibers in the paper, creating supercapacitor electrodes with high energy and power densities - and the

best performance so far in a textile-based supercapacitor.

By implanting conductive and charge storage materials in the paper, the technique creates large surface areas that function as current collectors and nanoparticle reservoirs for the electrodes. Testing shows that devices fabricated with the technique can be folded thousands of times without affecting conductivity.

"This type of flexible [energy](#) storage device could provide unique opportunities for connectivity among wearable and internet of things devices," said Seung Woo Lee, an assistant professor in the Woodruff School of Mechanical Engineering at the Georgia Institute of Technology. "We could support an evolution of the most advanced portable electronics. We also have an opportunity to combine this [supercapacitor](#) with energy-harvesting devices that could power biomedical sensors, consumer and military electronics, and similar applications."

The research, done with collaborators at Korea University, was supported by the National Research Foundation of Korea and reported September 14 in the journal *Nature Communications*.

Energy storage devices are generally judged on three properties: their [energy density](#), power density and cycling stability. Supercapacitors often have high power density, but low energy density - the amount of energy that can be stored - compared to batteries, which often have the opposite attributes. In developing their new technique, Lee and collaborator Jinhan Cho from the Department of Chemical and Biological Engineering at Korea University set out to boost energy density of the supercapacitors while maintaining their high power output.

The researchers began by dipping paper samples into a beaker of

solution containing an amine surfactant material designed to bind the [gold nanoparticles](#) to the paper. Next they dipped the paper into a solution containing gold nanoparticles. Because the fibers are porous, the surfactants and nanoparticles enter the fibers and become strongly attached, creating a conformal coating on each fiber.

By repeating the dipping steps, the researchers created a conductive paper on which they added alternating layers of metal oxide energy storage materials such as manganese oxide. The ligand-mediated layer-by-layer approach helped minimize the contact resistance between neighboring metal and/or metal oxide nanoparticles. Using the simple process done at room temperatures, the layers can be built up to provide the desired electrical properties.

"It's basically a very simple process," Lee said. "The layer-by-layer process, which we did in alternating beakers, provides a good conformal coating on the [cellulose fibers](#). We can fold the resulting metallized paper and otherwise flex it without damage to the conductivity."

Though the research involved small samples of paper, the solution-based technique could likely be scaled up using larger tanks or even a spray-on technique. "There should be no limitation on the size of the samples that we could produce," Lee said. "We just need to establish the optimal layer thickness that provides good conductivity while minimizing the use of the nanoparticles to optimize the tradeoff between cost and performance."

The researchers demonstrated that their self-assembly technique improves several aspects of the paper supercapacitor, including its areal performance, an important factor for measuring flexible energy-storage electrodes. The maximum power and energy density of the metallic paper-based supercapacitors are estimated to be 15.1 mWcm^{-2} and $267.3 \text{ } \mu\text{Wh cm}^{-2}$, respectively, substantially outperforming conventional

paper or textile supercapacitors.

The next steps will include testing the technique on flexible fabrics, and developing flexible batteries that could work with the supercapacitors. The researchers used gold nanoparticles because they are easy to work with, but plan to test less expensive metals such as silver and copper to reduce the cost.

During his Ph.D. work, Lee developed the layer-by-layer self-assembly process for [energy storage](#) using different materials. With his Korean collaborators, he saw a new opportunity to apply that to flexible and wearable devices with nanoparticles.

"We have nanoscale control over the coating applied to the paper," he added. "If we increase the number of layers, the performance continues to increase. And it's all based on ordinary [paper](#)."

More information: [phys.org/news/2017-09-paper-su ... ensity-tradeoff.html](https://phys.org/news/2017-09-paper-su...ensity-tradeoff.html)

Provided by Georgia Institute of Technology

Citation: Paper-based supercapacitor uses metal nanoparticles to boost energy density (2017, October 5) retrieved 19 April 2024 from <https://techxplore.com/news/2017-10-paper-based-supercapacitor-metal-nanoparticles-boost.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.