


Researchers create material for a chemical heat 'battery' that could release its energy on demand

November 17 2017, by David L. Chandler




MIT postdoc, Grace Han, handles a new chemical composite that could provide an alternative to fuel by functioning as a kind of thermal battery. Credit: Melanie Gonick/MIT

In large parts of the developing world, people have abundant heat from the sun during the day, but most cooking takes place later in the evening when the sun is down, using fuel—such as wood, brush or dung—that is collected with significant time and effort.

Now, a new chemical composite developed by researchers at MIT could provide an alternative. It could be used to store heat from the sun or any other source during the day in a kind of thermal battery, and it could release the heat when needed, for example for cooking or heating after dark.

A common approach to thermal storage is to use what is known as a [phase change](#) material (PCM), where input heat melts the material and its phase change—from solid to liquid—stores [energy](#). When the PCM is cooled back down below its melting point, it turns back into a solid, at which point the stored energy is released as heat. There are many examples of these [materials](#), including waxes or fatty acids used for low-temperature applications, and molten salts used at high temperatures. But all current PCMs require a great deal of insulation, and they pass through that phase change temperature uncontrollably, losing their [stored heat](#) relatively rapidly.

Instead, the new system uses molecular switches that change shape in response to light; when integrated into the PCM, the phase-change temperature of the hybrid material can be adjusted with light, allowing the [thermal energy](#) of the phase change to be maintained even well below the [melting point](#) of the original material.



“What we are doing technically,” Han explains, “is installing a new energy barrier, so the stored heat cannot be released immediately.” In its chemically stored form, the energy can remain for long periods until the optical trigger is activated. Credit: Massachusetts Institute of Technology

The new findings, by MIT postdocs Grace Han and Huashan Li and Professor Jeffrey Grossman, are reported this week in the journal *Nature Communications*.

"The trouble with thermal energy is, it's hard to hold onto it," Grossman explains. So his team developed what are essentially add-ons for traditional phase change materials, or, "little molecules that undergo a structural change when light shines on them." The trick was to find a way to integrate these molecules with conventional PCM materials to

release the stored energy as heat, on demand. "There are so many applications where it would be useful to store thermal energy in a way lets you trigger it when needed," he says.


The researchers accomplished this by combining the [fatty acids](#) with an organic compound that responds to a pulse of light. With this arrangement, the light-sensitive component alters the thermal properties of the other component, which stores and releases its energy. The hybrid material melts when heated, and after being exposed to ultraviolet light, it stays melted even when cooled back down. Next, when triggered by another pulse of light, the material resolidifies and gives back the thermal phase-change energy.

This blue LED lamp setup is used to trigger the heat discharge from large-scale films of phase-change materials. Credit: Melanie Gonick/MIT

"By integrating a light-activated molecule into the traditional picture of latent heat, we add a new kind of control knob for properties such as melting, solidification, and supercooling," says Grossman, who is the Morton and Claire Goulder and Family Professor in Environmental Systems as well as professor of materials science and engineering.

The system could make use of any source of heat, not just solar, Han says. "The availability of waste heat is widespread, from industrial processes, to solar heat, and even the heat coming out of vehicles, and it's usually just wasted." Harnessing some of that waste could provide a way of recycling that heat for useful applications.

"What we are doing technically," Han explains, "is installing a new energy barrier, so the stored heat cannot be released immediately." In its chemically stored form, the energy can remain for long periods until the optical trigger is activated. In their initial small-scale lab versions, they showed the stored heat can remain stable for at least 10 hours, whereas a device of similar size storing [heat](#) directly would dissipate it within a few minutes. And "there's no fundamental reason why it can't be tuned to go higher," Han says.



The UV-activated thermal energy storage material shows the rapid crystallization and heat discharge upon visible light (blue LED) illumination. Credit: Grossman Group at MIT

In the initial proof-of-concept system "the temperature change or supercooling that we achieve for this thermal storage material can be up to 10 degrees C (18 F), and we hope we can go higher," Grossman says.

Already, in this version, "the energy density is quite significant, even though we're using a conventional phase-change material," Han says. The material can store about 200 joules per gram, which she says is "very good for any organic [phase-change material](#)." And already, "people have shown interest in using this for cooking in rural India," she says. Such systems could also be used for drying agricultural crops or for space heating.

"Our interest in this work was to show a proof of concept," Grossman says, "but we believe there is a lot of potential for using light-activated materials to hijack the [thermal storage](#) properties of phase change materials."



Under a dark-field microscope, the microscale environment shows the rapid crystal growth can easily be monitored. Credit: Grossman Group at MIT

More information: Grace G. D. Han et al, Optically-controlled long-term storage and release of thermal energy in phase-change materials, *Nature Communications* (2017). [DOI: 10.1038/s41467-017-01608-y](https://doi.org/10.1038/s41467-017-01608-y)

This story is republished courtesy of MIT News

(web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Researchers create material for a chemical heat 'battery' that could release its energy on demand (2017, November 17) retrieved 28 April 2024 from

<https://techxplore.com/news/2017-11-material-chemical-battery-energy-demand.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
