


Electricity, eel-style: Soft power cells could run tomorrow's implantables

December 13 2017



These photos depict the printed, high voltage implementation of the artificial electric organ. We used a 3D bioprinter to deposit arrays of gel precursor droplets onto plastic substrates, and cured them with a UV light to convert them into gels. We printed alternating high-salinity and low-salinity gels (red and blue gels, respectively) onto one substrate, and alternating cation-selective and anion-selective gels (green and yellow gels, respectively) onto a second substrate. When

overlaid, these connect to form a conductive pathway of 612 tetrameric gel cells that we used to generate up to 110 volts. Credit: Thomas Schroeder


Inspired by the electric eel, a flexible, transparent electrical device could lead to body-friendly power sources for implanted health monitors and medication dispensers, augmented-reality contact lenses and countless other applications.

The soft cells are made of hydrogel and salt, and they form the first potentially biocompatible artificial electric organ that generates more than 100 volts. It produces a steady buzz of electricity at high voltage but low current, a bit like an extremely low-volume but high-pressure jet of water. It's perhaps enough to power a small medical device like a pacemaker.

While the technology is preliminary, Michael Mayer, a professor of biophysics at the Adolphe Merkle Institute of the University of Fribourg in Switzerland and the corresponding author on a paper about the device, believes it may one day be useful for powering implantable or wearable devices without the toxicity, bulk or frequent recharging that come with batteries. Further down the road, it could even lead to bioelectric systems that could generate electricity from naturally occurring processes inside the body.

The device can't hold a candle to the [electric eel](#), which can pump out far more power in short bursts to zap prey or defend itself. But the researchers say they've taken an important first step that advances fundamental understanding of soft power sources. The team includes researchers from the University of Michigan, the Adolphe Merkle Institute at the University of Fribourg and the University of California-San Diego. The work is detailed in a study published in the December 14

issue of *Nature*.




These photos depict the printed, high voltage implementation of the artificial electric organ. We used a 3D bioprinter to deposit arrays of gel precursor droplets onto plastic substrates, and cured them with a UV light to convert them into gels. We printed alternating high-salinity and low-salinity gels (red and blue gels, respectively) onto one substrate, and alternating cation-selective and anion-selective gels (green and yellow gels, respectively) onto a second substrate. When overlaid, these connect to form a conductive pathway of 612 tetrameric gel cells that we used to generate up to 110 volts. Credit: Thomas Schroeder

"The eel polarizes and depolarizes thousands of cells instantaneously to put out these high voltages," said study co-author Max Shtein, U-M associate professor of materials science and engineering. "It's a fascinating system to look at from an engineering perspective—its performance metrics, its fundamental building blocks and how to use them."

One secret to the eel's success is a phenomenon called transmembrane transport. Specialized electrical organs contain thousands of alternating compartments, each with an excess of either potassium or sodium ions. The compartments are separated by selective membranes that, in the eel's resting state, keep the two ions separate. When the eel needs to create a jolt of electricity, the membranes allow the ions to flow together. This creates a burst of power.

The researchers built a similar system, though instead of sodium and potassium, they used the sodium and chloride that are naturally combined in common table salt, dissolved in water-based hydrogel. Using a specialized printer at the Adolphe Merkle Institute, they printed thousands of tiny droplets of the salty gel on a plastic sheet, alternating them with hydrogel droplets of pure water. The alternating droplets are similar to the eel's compartments.

Next, the team needed to mimic the eel's selective membrane that keeps the compartments separate. They used a second sheet of alternating droplets, this one made of charge-selective hydrogel. Each droplet allows either positively charged sodium or negatively charged chloride to pass, excluding the other.




These photos depict our method of using origami folding to bring a stack of gel films together with relatively high contact area. This Miura-ori fold, originally developed to unfold solar panels in space, employs an 80° fold angle which results in 2D compression of the substrate, bringing all of the cylindrical gel discs into a single line of contact. We show the flat substrate before folding, the folding process, and finally the fully folded substrate with all gels in contact. The images shown here depict a substrate with 6 tetrameric gel cells. Credit: Thomas Schroeder

To generate power, the two sheets are pressed together, connecting saline and freshwater droplets across the charge-selective droplets in series. As the salty and fresh solutions mix, the charge-selective droplets move the sodium and chloride ions in opposing directions, producing an electric current.

The researchers took one final trick from the eel: its thousands of compartments can shuffle ions instantaneously, producing a coordinated jolt just when it's needed. The researchers needed to do something similar with their thousands of alternating cells, combining them all in exactly the right order, simultaneously.

Shtein, along with graduate students Anirvan Guha of the Adolphe Merkle Institute and Thomas Schroeder and Aaron Lamoureux of U-M, solved the problem with an origami technique called a Miura fold. Invented by a Japanese astrophysicist, the Miura fold is often used to fold solar panels into satellites at launch, then unpack them into large sheets once they're in space.

They used the idea in reverse, alternating all four droplet types in a precise pattern on a flat sheet that had been laser-scored in a Miura pattern. When pressure was applied, the sheet quickly folded together, stacking the cells in exactly the right positions.



These photos depict our method of using origami folding to bring a stack of gel films together with relatively high contact area. This Miura-ori fold, originally developed to unfold solar panels in space, employs an 80° fold angle which results in 2D compression of the substrate, bringing all of the cylindrical gel discs into a single line of contact. We show the flat substrate before folding, the folding process, and finally the fully folded substrate with all gels in contact. The images shown here depict a substrate with 6 tetrameric gel cells. Credit: Thomas Schroeder

"The electric organs in eels are incredibly sophisticated; they're far better at generating power than we are," Mayer said. "But the important thing for us was to replicate the basics of what's happening."

The team is working to improve the device's efficiency.

More information: An electric-eel-inspired soft power source from stacked hydrogels, *Nature* (2017).

[nature.com/articles/doi:10.1038/nature24670](https://doi.org/10.1038/nature24670)

Provided by University of Michigan

Citation: Electricity, eel-style: Soft power cells could run tomorrow's implantables (2017, December 13) retrieved 2 May 2024 from <https://techxplore.com/news/2017-12-electricity-eel-style-soft-power-cells.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--