

Scientists demonstrate remarkable stability in perovskite solar cells

January 31 2018



Steve Harvey, Jeffrey Christians, Tracy Schloemer, Bertrand Tremolet de Villers, and Joseph Luther are co-authors of "Tailored Interfaces of Unencapsulated Perovskite Solar Cells for >1000 Hours of Ambient Operational Stability." Credit: National Renewable Energy Laboratory

Researchers at the U.S. Department of Energy's National Renewable Energy Laboratory (NREL) created an environmentally stable, high-

efficiency perovskite solar cell, bringing the emerging technology a step closer to commercial deployment.

Over the past decade, perovskites have rapidly evolved into a promising technology, now with the ability to convert about 23 percent of sunlight into electricity, but work is still needed to make the devices durable enough for long-term use. NREL's unencapsulated solar cell—a cell used for testing that doesn't have a protective barrier like glass between the cell's conductive parts and the elements—held onto 94 percent of its starting efficiency after 1,000 hours of continuous use under ambient conditions, according to research published in *Nature Energy*.

"During testing, we intentionally stress the cells somewhat harder than real-world applications in an effort to speed up the aging," said Joseph Luther, who along with Joseph Berry directed the work titled "Tailored Interfaces of Unencapsulated Perovskite Solar Cells for >1000 Hours of Operational Stability." "A solar cell in the field only operates when the sun is out, typically. In this case, even after 1,000 straight hours of testing the cell was able to generate power the whole time."

While more testing is needed to prove the cells could survive for 20 years, or more, in the field (the typical lifetime of solar panels) this study represents an important benchmark for determining that [perovskite solar cells](#) are more stable than previously thought.

The typical design of a perovskite solar cell sandwiches the perovskite between a hole transport material, a thin film of an organic molecule called spiro-OMeTAD that's doped with lithium ions and an electron transport layer made of titanium dioxide, or TiO₂. This type of solar cell experiences an almost immediate 20 percent drop in efficiency and then steadily declines as it became more unstable.

"What we are trying to do is eliminate the weakest links in the solar

cell," Luther said. The researchers theorized that replacing the layer of spiro-OMeTAD could stop the initial drop in efficiency in the cell. The lithium ions within the spiro-OMeTAD film move uncontrollably throughout the device and absorb water. The free movement of the ions and the presence of water causes the [cells](#) to degrade. A new molecule, nicknamed EH44 and developed by Alan Sellinger at the Colorado School of Mines, was incorporated as a replacement to spiro-OMeTAD because it repels water and doesn't contain lithium. "Those two benefits led us to believe this material would be a better replacement," Luther said.

The use of EH44 as the top layer resolved the later more gradual degradation but did not solve the initial fast decreases that were seen in the cell's efficiency. The researchers tried another approach, this time swapping the cell's bottom layer of TiO₂ for one with tin oxide (SnO₂). With both EH44 and SnO₂ in place, as well as stable replacements to the perovskite material and metal electrodes, the [solar cell efficiency](#) remained steady. The experiment found that the new SnO₂ layer resolved the chemical makeup issues seen in the perovskite layer when deposited onto the original TiO₂ film.

"This study reveals how to make the devices far more stable," Luther said. "It shows us that each of the layers in the cell can play an important role in degradation, not just the active perovskite [layer](#)."

More information: Jeffrey A. Christians et al. Tailored interfaces of unencapsulated perovskite solar cells for >1,000 hour operational stability, *Nature Energy* (2018). [DOI: 10.1038/s41560-017-0067-y](https://doi.org/10.1038/s41560-017-0067-y)

Provided by National Renewable Energy Laboratory

Citation: Scientists demonstrate remarkable stability in perovskite solar cells (2018, January 31)
retrieved 4 May 2024 from

<https://techxplore.com/news/2018-01-scientists-remarkable-stability-perovskite-solar.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.