

Analysis shows when and where advanced photovoltaics would be economic to install

April 30 2018, by David L. Chandler



A team of researchers at MIT and elsewhere has come up with a way to figure out the best type of solar panel for a given location and type of installation. Credit: Massachusetts Institute of Technology

Which is a better deal: an established, off-the-shelf type of solar panel or



a cutting-edge type that delivers more power for a given area but costs more?

It turns out that's far from a simple question, but a team of researchers at MIT and elsewhere has come up with a way to figure out the best option for a given location and type of installation. The bottom line is that for household-scale rooftop systems in relatively dry locations, the more efficient but more costly panels would be better, but for grid-scale installations or for those in wetter climates, the established, less efficient but cheaper panels are better.

The <u>costs</u> of solar cells continue to plummet, while the costs of installation and the associated equipment remain relatively constant. So, figuring out the tradeoffs involved in planning a new installation has gotten more complicated. But the new study provides a clear way to estimate the best technology for a given project, the authors say.

The findings are reported today in the journal *Nature Energy*, in a paper by MIT graduate student Sarah Sofia, associate professor of mechanical engineering Tonio Buonassisi, research scientist I. Marius Peters, and three others at MIT and at First Solar and Siva Power, solar companies in California.

The study compared two basic varieties of solar cells: standard designs that use a single type of photovoltaic material, and advanced designs that combine two different types (called <u>tandem cells</u>) in order to capture more of the energy in sunlight. For the tandem cells, the researchers also compared different varieties: those in which each of the two cells are connected together in series, called two-junction tandem cells, and those where each cell is separately wired, called four-junction tandem cells.

Instead of just looking at the amount of power each kind can deliver, the team analyzed all the associated installation and operational costs over



time, to produce a measurement called the levelized cost of electricity (LCOE), a measure that incorporates all the costs and revenues over the lifetime of the system.

"Standard single-junction cells have a maximum efficiency limit of about 30 percent," Sofia explains, whereas "tandem cells, using two materials, can have much higher efficiency, above 40 percent." But while higher efficiency is obviously an advantage in principle, "when you make a tandem, you basically have two solar cells instead of one, so it's more expensive to manufacture. So, we wanted to see if it's worth it," she says.

For their analysis, the team looked at three types of environment—arid (Arizona), temperate (South Dakota), and humid (Florida)—because the amount of water vapor in the air can affect how much sunlight reaches the solar cell. In each of these locations, they compared the standard two kinds of single-junction solar cells (cadmium telluride, or CdTe, and copper-indium-gallium-selenide, or CIGS) with two different types of tandem cells, two-junction or four-junction. Thus, a total of four different technologies were studied in each environment. In addition, they studied how the overall LCOE of the installations would be affected depending on whether overall energy prices remain constant or decline over time, as many analysts expect.

The results were somewhat surprising. "For residential systems, we showed that the four-terminal tandem system [the most efficient solar cell available] was the best option, regardless of location," Sofia says. But for utility-scale installations, the cell with the lowest production costs is the best deal, the researchers found.

The new findings could be significant for those planning new solar installations, Sofia says. "For me, showing that a four-terminal tandem cell had a clear opportunity to succeed was not obvious. It really shows



the importance of having a high energy yield in a residential system."

But because utility-scale systems can spread the costs of the installation and the control systems over many more panels, and because space tends to be less constrained in such installations, "we never saw an opportunity" for the more costly, efficient cells in such settings. In large arrays, "because the installation costs are so cheap, they just want the cheapest cells [per watt of power]," she says.

The study could help to guide research priorities in solar technology, Sofia says. "There's been a lot of work in this field, without asking this first [whether the economics would actually make sense]. We should be asking the question before we do all the work. ... I hope this can serve as a guide to where research efforts should be focused," she says.

The methodology the team developed for making the comparisons should be applicable to many other comparisons of solar technologies, not just the specific types chose for this study, Sofia says. "For thin-film technologies, this is generalizable," she says.

Because the materials they studied for the four-terminal case are already commercialized, Sofia says, "if there was a company that had an interest," practical, affordable four-junction tandem systems for residential applications could potentially be brought to market quite quickly.

More information: Sarah E. Sofia et al, Economic viability of thin-film tandem solar modules in the United States, *Nature Energy* (2018). DOI: 10.1038/s41560-018-0126-z

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT



research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Analysis shows when and where advanced photovoltaics would be economic to install (2018, April 30) retrieved 13 March 2024 from https://techxplore.com/news/2018-04-analysis-advanced-photovoltaics-economic.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.