

Research overcomes major technical obstacles in magnesium-metal batteries

April 3 2018




Illustration shows how NREL researchers have addressed the problem with making a rechargeable magnesium battery. Credit: John Frenzl / NREL

Scientists at the Department of Energy's National Renewable Energy Laboratory (NREL) have discovered a new approach for developing a rechargeable non-aqueous magnesium-metal battery.

A proof-of-concept paper published in *Nature Chemistry* detailed how the scientists pioneered a method to enable the reversible [chemistry](#) of magnesium metal in the noncorrosive carbonate-based electrolytes and tested the concept in a prototype cell. The technology possesses potential advantages over lithium-ion batteries—notably, higher [energy](#) density, greater stability, and lower cost.

NREL researchers (from left) Seoung-Bum Son, Steve Harvey, Andrew Norman and Chunmei Ban are co-authors of the *Nature Chemistry* white paper, "An Artificial Interphase Enables Reversible Magnesium Chemistry in Carbonate Electrolytes" working with a Time-of-flight secondary ion mass spectrometry. The device allows them to investigate material degradation and failure mechanisms at the micro- to nano-scale. (Photo by Dennis Schroeder / NREL)

"Being scientists, we're always thinking: what's next?" said Chunmei Ban, a scientist in NREL's Materials Science department and corresponding author of the paper, "An Artificial Interphase Enables Reversible Magnesium Chemistry in Carbonate Electrolytes." The dominant lithium-ion [battery](#) technology is approaching the maximum amount of energy that can be stored per volume, she said, so "there is an urgent need to explore new battery chemistries" that can provide more energy at a lower cost.

"This finding will provide a new avenue for magnesium battery design," said Seoung-Bum Son, a former NREL postdoc and scientist at NREL and first author of the paper. Other co-authors from NREL are Steve Harvey, Adam Stokes, and Andrew Norman.

An electrochemical reaction powers a battery as ions flow through a liquid ([electrolyte](#)) from the negative electrode (cathode) to the positive electrode (anode). For batteries using lithium, the electrolyte is a salt solution containing lithium ions. What's also important, is the chemical

reaction must be reversible so that the battery can be recharged.

Magnesium (Mg) batteries theoretically contain almost twice as much energy per volume as lithium-ion batteries. But previous research encountered an obstacle: chemical reactions of the conventional carbonate electrolyte created a barrier on the surface of magnesium that prevented the battery from recharging. The magnesium ions could flow in a reverse direction through a highly corrosive liquid electrolyte, but that barred the possibility of a successful high-voltage magnesium battery.

In seeking to overcome these roadblocks, the researchers developed an artificial solid-electrolyte interphase from polyacrylonitrile and magnesium-ion salt that protected the surface of the magnesium anode. This protected anode demonstrated markedly improved performance.

Side-by-side illustrations show how NREL scientists solved a problem with making a rechargeable magnesium battery.

The scientists assembled prototype cells to prove the robustness of the artificial interphase and found promising results: the cell with the protected anode enabled reversible Mg chemistry in carbonate electrolyte, which has never been demonstrated before. The cell with this protected Mg anode also delivered more energy than the prototype without the protection and continued to do so during repeated cycles. Furthermore, the group has demonstrated the rechargeability of the magnesium-metal battery, which provides an unprecedented avenue for simultaneously addressing the anode/electrolyte incompatibility and the limitations on ions leaving the cathode.

In addition to being more readily available than lithium, magnesium has other potential advantages over the more established battery technology. First, magnesium releases two electrons to lithium's one, thus giving it

the potential to deliver nearly twice as much energy as lithium. And second, magnesium-metal batteries do not experience the growth of dendrites, which are crystals that can cause short circuits and consequently dangerous overheating and even fire, making potential [magnesium](#) batteries much safer than lithium-ion batteries.

More information: An artificial interphase enables reversible magnesium chemistry in carbonate electrolytes, *Nature Chemistry* (2018) [doi:10.1038/s41557-018-0019-6](https://doi.org/10.1038/s41557-018-0019-6)

Provided by National Renewable Energy Laboratory

Citation: Research overcomes major technical obstacles in magnesium-metal batteries (2018, April 3) retrieved 6 June 2023 from <https://techxplore.com/news/2018-04-major-technical-obstacles-magnesium-metal-batteries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.