

'Artificial blubber' protects divers in frigid water

June 19 2018, by David Chandler



From left, graduate student Anton Cottrill, Professor Jacopo Buongiorno and Professor Michael Strano try out their neoprene wetsuits at a pool at MIT's athletic center. Cottrill is holding the pressure tank used to treat the wetsuits with xenon or krypton. Credit: Massachusetts Institute of Technology

When Navy SEALs carry out dives in Arctic waters, or when rescue

teams are diving under ice-covered rivers or ponds, the survival time even in the best wetsuits is very limited—as little as tens of minutes, and the experience can be extremely painful at best. Finding ways of extending that survival time without hampering mobility has been a priority for the U.S. Navy and science divers, as a pair of MIT engineering professors learned during a recent program that took them to a variety of naval facilities.

That visit led to a two-year collaboration that has now yielded a dramatic result: a simple treatment that can improve the survival time for a conventional wetsuit by a factor of three, the scientists say.

The findings, which could be applied essentially immediately, are reported this week in the journal *RSC Advances*, in a paper by Michael Strano, the Carbon P. Dubbs Professor of Chemical Engineering; Jacopo Buongiorno, the TEPCO Professor and associate head of the Department of Nuclear Science and Engineering; and five others at MIT and George Mason University.

The process they discovered works by simply placing the standard neoprene wetsuit inside a pressure tank autoclave no bigger than a beer keg, filled with a heavy inert gas, for about a day. The treatment then lasts for about 20 hours, far longer than anyone would spend on a dive, explains Buongiorno, who is an avid wetsuit user himself. (He competed in a triathlon just last week.) The process could also be done in advance, with the wetsuit placed in a sealed bag to be opened just before use, he says.

Though Buongiorno and Strano are both on the MIT faculty, they had never met until they were both part of the the Defense Science Study Group for the Department of Defense. "We got to visit a lot of bases, and met with all kinds of military people up to four-star generals," says Buongiorno, whose specialty in nuclear engineering has to do with [heat](#)

[transfer](#), especially through water. They learned about the military's particular needs and were asked to design a technological project to address one of those needs. After meeting with a group of Navy SEALs, the elite special-operations diving corps, they decided the need for longer-lasting protection in icy waters was one that they could take on.

They looked at the different strategies that various animals use to survive in these frigid waters, and found three types: air pockets trapped in fur or feathers, as with otters and penguins; internally generated heat, as with some animals and fish (including great white sharks, which, surprisingly, are warm-blooded); or a layer of insulating material that greatly slows heat loss from the body, as with seals' and whales' blubber.

In the end, after simulations and lab tests, they ended up with a combination of two of these—a blubber-like insulating material that also makes use of trapped pockets of gas, although in this case the gas is not air but a heavy inert gas, namely xenon or krypton.

The material that has become standard for wetsuits is neoprene, an inexpensive material that is a mix of synthetic rubber materials processed into a kind of foam, producing a closed-cell structure similar to styrofoam. Trapped within that structure, occupying more than two-thirds of the volume and accounting for half of the heat that gets transferred through it, are pockets of air.

Strano and Buongiorno found that if the trapped air is replaced with xenon or krypton, the material's insulating properties increase dramatically. The result, they say, is a material with the lowest heat transfer of any wetsuit ever made. "We set a world record for the world's lowest thermal conductivity wetsuit," Strano says—conductivity almost as low as air itself. "It's like wearing a coat of air."

They found this could improve survivability in water colder than 10

degrees Celsius, raising it from less than one hour to two or three hours.

The result could be a boon not just to those in the most extreme environments, but to anyone who uses wetsuits in cold waters, including swimmers, athletes, and surfers, as well as professional divers of all kinds.

Currently, the only viable cold-water alternatives to wetsuits are dry suits, which have a layer of air between the suit and the skin that must be maintained using a hose and a pump, or a warm-water suit, which similarly requires a hose and pump connection. In either case, a failure of the pump or a cut or tear in the suit can result in a quick loss of insulation that can be life threatening within minutes.

But the xenon- or krypton-infused neoprene requires no such support system and has no way of quickly losing its insulating properties, and so does not carry that risk. "We can take anyone's neoprene wetsuit and pressurize it with xenon for high-performance operations," Strano says.

Another possibility, they say, is to produce a wetsuit with the same insulating properties as present ones, but with a small fraction of the thickness, allowing more comfort and freedom of movement that might be appealing to athletes.

One next step in their research is to look at ways of making a long-term, stable version of a xenon-infused neoprene, perhaps by bonding a protective layer over it, they say.

More information: Jeffrey L. Moran et al, Noble-gas-infused neoprene closed-cell foams achieving ultra-low thermal conductivity fabrics, *RSC Advances* (2018). [DOI: 10.1039/c8ra04037k](https://doi.org/10.1039/c8ra04037k)

Provided by Massachusetts Institute of Technology

Citation: 'Artificial blubber' protects divers in frigid water (2018, June 19) retrieved 10 April 2024 from <https://techxplore.com/news/2018-06-artificial-blubber-divers-frigid.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.