

Specially prepared paper can bend, fold or flatten on command

August 22 2018



Researchers at Carnegie Mellon University's Human-Computer Interaction Institute have developed an actuation technology for plain paper, enabling them to create a four-fingered robotic manipulator. Credit: Carnegie Mellon University

One of the oldest, most versatile and inexpensive of

materials—paper—seemingly springs to life, bending, folding or flattening itself, by means of a low-cost actuation technology developed at Carnegie Mellon University's Human-Computer Interaction Institute.

A thin layer of conducting thermoplastic, applied to common paper with an inexpensive 3-D printer or even painted by hand, serves as a low-cost, reversible actuator. When an electrical current is applied, the thermoplastic heats and expands, causing the paper to bend or fold; when the current is removed, the paper returns to a pre-determined shape.

"We are reinventing this really old material," said Lining Yao, assistant professor in the HCII and director of the Morphing Matter Lab, who developed the method with her team. "Actuation truly turns paper into another medium, one that has both artistic and practical uses."

Post-doctoral researcher Guanyun Wang, former research intern Tingyu Cheng and other members of Yao's Morphing Matter Lab have designed basic types of actuators, including some based on origami and kirigami forms. These enable the creation of structures that can turn themselves into balls or cylinders. Or, they can be used to construct more elaborate objects, such as a lamp shade that changes its shape and the amount of light it emits, or an artificial mimosa plant with leaf petals that sequentially open when one is touched.



Artificial mimosa leaves made of plain paper respond to human touch, thanks to a paper actuation technology developed by Carnegie Mellon University's Human-Computer Interaction Institute. Credit: Carnegie Mellon University

In June, more than 50 students in a workshop at Zhejiang University in Hangzhou, China, used the paper actuation technology to create elaborate pop-up books, including interpretations of famous artworks, such as Van Gogh's *Starry Night* and *Sunflowers*.

The printed paper actuator will be exhibited Sept. 6-10 at the Ars Electronica Festival in Linz, Austria; Sept. 13-30 at Bozar Centre for the Fine Arts in Brussels, Belgium; and from October through March at Hyundai Motorstudio in Beijing, China. Yao's group presented the technology in April at CHI 2018, the Conference on Human Factors in

Computing Systems, in Montreal.

"Most robots—even those that are made of paper—require an external motor," said Wang, a CMU Manufacturing Futures Initiative fellow. "Ours do not, which creates new opportunities, not just for robotics, but for interactive art, entertainment and home applications."

Creating a paper actuator is a relatively simple process, Cheng said. It employs the least expensive type of 3-D printer, a so-called FDM printer that lays down a continuous filament of melted thermoplastic. The researchers use an off-the-shelf printing filament—graphene polyactide composite—that conducts electricity.

The thermoplastic actuator is printed on plain copy paper in a thin layer, just half a millimeter thick. The actuator is then heated in an oven or with a heat gun and the paper is bent or folded into a desired shape and allowed to cool. This will be the default shape of the paper. Electrical leads can then be attached to the actuator; applying electrical current heats the actuator, causing the thermoplastic to expand and thus straighten the paper. When the current is removed, the paper automatically returns to its default shape.

Yao said the researchers are refining this method, changing the printing speed or the width of the line of thermoplastic to achieve different folding or bending effects. They have also developed methods for printing touch sensors, finger sliding sensors and bending angle detectors that can control the paper actuators.

More work remains to be done. Actuation is slow, which Yao and her team hope to address with some material engineering—using papers that are more heat conductive and developing printing filaments that are customized for use in actuators. The same actuation used for paper might also be used for plastics and fabrics.

In addition to Yao, Wang and Cheng, authors of the CHI research [paper](#) are Youngwook Do and Byoungkwon An, HCII research affiliates; Jianzhe Gu, a Ph.D. student in HCII; Humphrey Yang, a master's student in the CMU School of Architecture, and Ye Tao, a visiting scholar from Zhejiang University.

More information: Guanyun Wang et al, Printed Paper Actuator, *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems - CHI '18* (2018). [DOI: 10.1145/3173574.3174143](https://doi.org/10.1145/3173574.3174143)

More information is available on the project's web page, <http://morphingmatter.cs.cmu.edu/paper-actuator/>.

Provided by Carnegie Mellon University

Citation: Specially prepared paper can bend, fold or flatten on command (2018, August 22)
retrieved 20 March 2024 from <https://techxplore.com/news/2018-08-specially-paper-flatten.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
