


# Transforming flat elastomers into 3D shapes: A reconfigurable soft actuator

February 4 2019, by Leah Burrows

---



An initially flat thin circular sheet of elastomer with embedded electrodes morphs into a saddle shape Credit: the Clarke Lab/Harvard SEAS

Mechanical systems, such as engines and motors, rely on two principal types of motions of stiff components: linear motion, which involves an object moving from one point to another in a straight line; and rotational motion, which involves an object rotating on an axis.

Nature has developed far more sophisticated forms of movement—or [actuation](#)—that can perform complex functions more directly and with soft components. For example, our eyes can change focal point by simply contracting soft muscles to change the [shape](#) of the cornea. In contrast, cameras focus by moving solid lenses along a line, either manually or by an autofocus.


But what if we could mimic shape changes and movements found in nature?

Now, researchers at the Harvard John A. Paulson School of Engineering and Applied Sciences (SEAS) have developed a method to change the shape of a flat sheet of elastomer, using actuation that is fast, reversible, controllable by an applied voltage, and reconfigurable to different shapes.

The research was published in *Nature Communications*.

"We see this work as the first step in the development of a soft, shape shifting material that changes shape according to electrical control signals from a computer," said David Clarke, the Extended Tarr Family Professor of Materials at SEAS and senior author of the paper. "This is akin to the very first steps taken in the 1950's to create integrated

circuits from silicon, replacing circuits made of discrete, individual components. Just as those integrated circuits were primitive compared to the capabilities of today's electronics, our devices have a simple but integrated three-dimensional architecture of electrical conductors and dielectrics, and demonstrate the elements of programmable reconfiguration, to create large and reversible shape changes."




An initially flat thin circular sheet of elastomer morphs into a dome shape based on which sets of electrodes are turned on or off Credit: the Clarke Lab/Harvard SEAS

The reconfigurable elastomer sheet is made up of multiple layers. Carbon nanotube-based electrodes of different shapes are incorporated between each layer. When a voltage is applied to these electrodes, a spatially varying [electric field](#) is created inside the elastomer sheet that

produces uneven changes in the material geometry, allowing it to morph into a controllable three-dimensional shape.

Different sets of electrodes can be switched on independently, enabling different shapes based on which sets of electrodes are on and which ones are off.

"In addition to being reconfigurable and reversible, these shape-morphing actuators have a [power density](#) similar to that of natural muscles," said Ehsan Hajiesmaili, first author of the paper and graduate student at SEAS. "This functionality could transform the way that mechanical devices work. There are examples of current devices that could make use of more sophisticated deformations to function more efficiently, such as optical mirrors and lenses. More importantly, this actuation method opens the door to novel devices that deemed too complicated to pursue due to the complex deformations required, such as a shape-morphing airfoil."



An initially flat thin circular sheet of elastomer morphs into a saddle shape based on which sets of electrodes are turned on or off Credit: the Clarke Lab/Harvard SEAS

In this research, the team also predicted the actuation shapes, given the design of the [electrode](#) arrangement and applied voltage. Next, the researchers aim to tackle the inverse problem: given a desired actuation shape, what is the design of the electrodes and the required voltage that will cause it?

**More information:** Ehsan Hajiesmaili et al, Reconfigurable shape-morphing dielectric elastomers using spatially varying electric fields, *Nature Communications* (2019). [DOI: 10.1038/s41467-018-08094-w](https://doi.org/10.1038/s41467-018-08094-w)

Provided by Harvard John A. Paulson School of Engineering and Applied Sciences

Citation: Transforming flat elastomers into 3D shapes: A reconfigurable soft actuator (2019, February 4) retrieved 19 April 2024 from <https://techxplore.com/news/2019-02-flat-elastomers-3d-reconfigurable-soft.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.