


New approach could boost energy capacity of lithium batteries

March 28 2019, by David L. Chandler



Molecular diagram shows the structure of molybdenum sulfide, one of the materials used to create the new kind of cathode for lithium-sulfur batteries. Credit: Massachusetts Institute of Technology

Researchers around the globe have been on a quest for batteries that

pack a punch but are smaller and lighter than today's versions, potentially enabling electric cars to travel further or portable electronics to run for longer without recharging. Now, researchers at MIT and in China say they've made a major advance in this area, with a new version of a key component for lithium batteries, the cathode.

The team describes their concept as a "hybrid" [cathode](#), because it combines aspects of two [different approaches](#) that have been used before, one to increase the [energy output](#) per pound (gravimetric [energy density](#)), the other for the energy per liter (volumetric energy density). The synergistic combination, they say, produces a version that provides the benefits of both, and more.

The work is described today in the journal *Nature Energy*, in a paper by Ju Li, an MIT professor of nuclear science and engineering and of [materials science](#) and engineering; Weijiang Xue, an MIT postdoc; and 13 others.

Today's lithium-ion batteries tend to use cathodes (one of the two electrodes in a battery) made of a transition metal oxide, but batteries with cathodes made of sulfur are considered a promising alternative to reduce weight. Today, the designers of lithium-sulfur batteries face a tradeoff.

The cathodes of such batteries are usually made in one of two ways, known as intercalation types or conversion types. Intercalation types, which use compounds such as lithium cobalt oxide, provide a high volumetric energy density—packing a lot of punch per volume because of their high densities. These cathodes can maintain their structure and dimensions while incorporating lithium atoms into their crystalline structure.

The other cathode approach, called the conversion type, uses sulfur that

gets transformed structurally and is even temporarily dissolved in the electrolyte. "Theoretically, these [batteries] have very good gravimetric energy density," Li says. "But the volumetric [density](#) is low," partly because they tend to require a lot of extra materials, including an excess of electrolyte and carbon, used to provide conductivity.

In their new hybrid system, the researchers have managed to combine the two approaches into a new cathode that incorporates both a type of molybdenum sulfide called Chevrel-phase, and pure sulfur, which together appear to provide the best aspects of both. They used particles of the two materials and compressed them to make the solid cathode. "It is like the primer and TNT in an explosive, one fast-acting, and one with higher energy per weight," Li says.

Among other advantages, the electrical conductivity of the combined material is relatively high, thus reducing the need for carbon and lowering the overall volume, Li says. Typical sulfur cathodes are made up of 20 to 30 percent carbon, he says, but the new version needs only 10 percent carbon.

The net effect of using the new material is substantial. Today's commercial lithium-ion batteries can have energy densities of about 250 watt-hours per kilogram and 700 watt-hours per liter, whereas lithium-sulfur batteries top out at about 400 watt-hours per kilogram but only 400 watt-hours per liter. The new version, in its initial version that has not yet gone through an optimization process, can already reach more than 360 watt-hours per kilogram and 581 watt-hours per liter, Li says. It can beat both lithium-ion and lithium-sulfur batteries in terms of the combination of these energy densities.

With further work, he says, "we think we can get to 400 watt-hours per kilogram and 700 watt-hours per liter," with that latter figure equaling that of lithium-ion. Already, the team has gone a step further than many

laboratory experiments aimed at developing a large-scale [battery](#) prototype: Instead of testing small coin cells with capacities of only several milliamp-hours, they have produced a three-layer pouch cell (a standard subunit in batteries for products such as electric vehicles) with a capacity of more than 1,000 milliamp-hours. This is comparable to some commercial batteries, indicating that the new device does match its predicted characteristics.

So far, the new cell can't quite live up to the longevity of [lithium-ion batteries](#) in terms of the number of charge-discharge cycles it can go through before losing too much power to be useful. But that limitation is "not the cathode's problem"; it has to do with the overall cell design, and "we're working on that," Li says. Even in its present early form, he says, "this may be useful for some niche applications, like a drone with long range," where both weight and volume matter more than longevity.

"I think this is a new arena for research," Li says.

More information: Weijiang Xue et al. Intercalation-conversion hybrid cathodes enabling Li–S full-cell architectures with jointly superior gravimetric and volumetric energy densities, *Nature Energy* (2019). [DOI: 10.1038/s41560-019-0351-0](https://doi.org/10.1038/s41560-019-0351-0)

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: New approach could boost energy capacity of lithium batteries (2019, March 28) retrieved 26 April 2024 from <https://techxplore.com/news/2019-03-approach-boost-energy-capacity-lithium.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.