

Show your hands: Smartwatches sense hand activity

May 6 2019, by Byron Spice



Researchers at Carnegie Mellon University's Human-Computer Interaction Institute (HCII) have used a standard smartwatch to figure out when a wearer was typing on a keyboard, washing dishes, petting a dog, playing piano or a number of other hand activities. Credit: Carnegie Mellon University

We've become accustomed to our smartwatches and smartphones sensing what our bodies are doing, be it walking, driving or sleeping. But what about our hands? It turns out that smartwatches, with a few tweaks,

can detect a surprising number of things your hands are doing.

Researchers at Carnegie Mellon University's Human-Computer Interaction Institute (HCII) have used a standard smartwatch to figure out when a wearer was typing on a keyboard, washing dishes, petting a dog, pouring from a pitcher or cutting with scissors.

By making a few changes to the watch's operating system, they were able to use its accelerometer to recognize [hand motions](#) and, in some cases, bio-acoustic sounds associated with 25 different hand activities at around 95 percent accuracy. And those 25 activities are just the beginning of what might be possible to detect.

"We envision smartwatches as a unique beachhead on the body for capturing rich, [everyday activities](#)," said Chris Harrison, assistant professor in the HCII and director of the Future Interfaces Group. "A wide variety of apps could be made smarter and more context-sensitive if our devices knew the activity of our bodies and hands."

Harrison and HCII Ph.D. student Gierad Laput will present their findings on this new sensing capability at [CHI 2019](#), the Association for Computing Machinery's Conference on Human Factors in Computing Systems, May 4-9 in Glasgow, Scotland. A video is available.

Just as smartphones now can block text messages while a user is driving, future devices that sense hand activity might learn not to interrupt someone while they are doing certain work with their hands, such as chopping vegetables or operating power equipment, Laput said. Sensing hand activity also lends itself to health-related apps—monitoring activities such as brushing teeth, washing hands or smoking a cigarette.

Hand-sensing also might be used by apps that provide feedback to users who are learning a new skill, such as playing a musical instrument, or

undergoing physical rehabilitation. Apps might alert users to typing habits that could lead to [repetitive strain injury](#) (RSI), or assess the onset of motor impairments such as those associated with Parkinson's disease.

Laput and Harrison began their exploration of hand activity detection by recruiting 50 people to wear specially programmed smartwatches for almost 1,000 hours while going about their daily activities. Periodically, the watches would record hand motion, hand orientation and bio-acoustic information, and then prompt the wearer to describe the hand activity—shaving, clapping, scratching, putting on lipstick, etc. More than 80 hand activities were labeled in this way, providing a unique dataset.

For now, users must wear the smartwatch on their active arm, rather than the passive (non-dominant) arm where people typically wear wristwatches, for the system to work. Future experiments will explore what events can be detected using the passive arm.

"The 25 [hand](#) activities we evaluated are a small fraction of the ways we engage our arms and hands in the real world," Laput said. Future work likely will focus on classes of activities—those associated with specific activities such as smoking cessation, elder care, or typing and RSI.

Provided by Carnegie Mellon University

Citation: Show your hands: Smartwatches sense hand activity (2019, May 6) retrieved 28 April 2024 from <https://techxplore.com/news/2019-05-smartwatches.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
