


Researchers use biological evolution to inspire machine learning

June 18 2019



A close-up of one of the generated results. Here, the bird-like patterns result from the 'eye' of the critic -- a network known as VGG19 -- used to compare the outputs of the competing networks, which is itself a model trained on classifying different natural images. Credit: Nicholas Guttenberg

As Charles Darwin wrote in at the end of his seminal 1859 book *On the Origin of the Species*, "whilst this planet has gone cycling on according to the fixed law of gravity, from so simple a beginning endless forms most beautiful and most wonderful have been, and are being, evolved." Scientists have since long believed that the diversity and range of forms of life on Earth provide evidence that biological evolution spontaneously innovates in an open-ended way, constantly inventing new things. However, attempts to construct artificial simulations of evolutionary systems tend to run into limits in the complexity and novelty which they can produce. This is sometimes referred to as "the problem of open-endedness." Because of this difficulty, to date, scientists can't easily make artificial systems capable of exhibiting the richness and diversity of biological systems.

In a new study published in the journal *Artificial Life*, a research team led by Nicholas Guttenberg and Nathaniel Virgo of the Earth-Life Science Institute (ELSI) at Tokyo Institute of Technology, Japan, and Alexandra Penn of the Centre for Evaluation of Complexity Across the Nexus (CECAN), University of Surrey U.K. (CRESS), examine the connection between biological evolutionary open-endedness and recent studies in [machine learning](#). They hoped that connecting ideas from these fields would make it possible to combine neural networks with the motivations and ideas of artificial life to create new forms of open-endedness.

One source of open-endedness in evolving biological systems is the

"arms race" of survival. For example, faster foxes may evolve to catch faster rabbits, which in turn may evolve to become even faster to get away from the faster foxes. This idea is mirrored in recent developments involving placing networks in competition with each other to produce things such as realistic images using generative adversarial networks (GANs) and to discover strategies in complex games such as Go. In evolution, factors such as mutation can limit the extent of such an arms race. However, as neural networks have been scaled up, no such limitation seems to exist, and the [network](#) can continue to improve as additional data is fed to their algorithms.

Guttenberg had been studying evolutionary open-endedness since graduate school, but it was only in the last few years that his focus shifted to [artificial intelligence](#) and neural networks. Around that time, methods such as GANs were invented, which struck him as very similar to the open-ended co-evolutionary systems he had previously worked on. He saw an opportunity to tear down a barrier between the fields to make progress on an interesting problem.

The researchers showed that while they can use scaling analyses to demonstrate open-endedness in evolutionary and cognitive contexts, there is a difference between making something which, for example, becomes infinitely good at making cat pictures and something which, having tired of making cat pictures, decides to make music instead. In artificial evolutionary systems, these sorts of major qualitative leaps have to be anticipated by the programmer—they'd need to make an artificial world in which music is possible for the "organisms" to decide to be musicians. In systems such as [neural networks](#), concepts such as abstraction are more easily captured, and populations of interacting agents could create new problems to be solved among themselves.

This work raises some deep and interesting questions. For example, if the drive for qualitatively different novelty in a computational system

arises internally from abstraction, what determines the "meaning" of the novelty artificial systems generate? Machine learning has sometimes led to the creation of artificial languages by interacting computational agents, but these languages are still grounded in the task the agents are cooperating to solve. If the agents really do rely on the interactions within the system to drive open-endedness far from whatever was provided as starting material, would it even be possible to recognize or interpret the things that come out, or would one have to be native to such a system in order to understand its richness?

Ultimately, this study suggests it may be possible to make artificial systems that autonomously and continuously invent or discover new things, which would constitute a significant advance in artificial intelligence, and may help in understanding the evolution and origin of life.

More information: Nicholas Guttenberg et al, On the Potential for Open-Endedness in Neural Networks, *Artificial Life* (2019). [DOI: 10.1162/artl_a_00286](https://doi.org/10.1162/artl_a_00286)

Provided by Tokyo Institute of Technology

Citation: Researchers use biological evolution to inspire machine learning (2019, June 18) retrieved 25 September 2023 from <https://techxplore.com/news/2019-06-biological-evolution-machine.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.