

# The best of both worlds: How to solve real problems on modern quantum computers

July 11 2019, by Mary Fitzpatrick

---



Photo shows Dr. Alexeev with a model of an IBM Q quantum computer. Credit: Argonne National Laboratory

In recent years, quantum devices have become available that enable researchers—for the first time—to use real quantum hardware to begin to solve scientific problems. However, in the near term, the number and quality of qubits (the basic unit of quantum information) for quantum computers are expected to remain limited, making it difficult to use

these machines for practical applications.

A hybrid [quantum](#) and classical approach may be the answer to tackling this problem with existing quantum hardware. Researchers at the U.S. Department of Energy's (DOE) Argonne National Laboratory and Los Alamos National Laboratory, along with researchers at Clemson University and Fujitsu Laboratories of America, have developed hybrid algorithms to run on quantum machines and have demonstrated them for practical applications using IBM quantum computers (see below for description of Argonne's role in the IBM Q Hub at Oak Ridge National Laboratory [ORNL]) and a D-Wave quantum computer.

"This approach will enable researchers to use near-term quantum computers to solve applications that support the DOE mission. For example, it can be applied to find community structures in metabolic networks or a microbiome," says Yuri Alexeev, principal project specialist, Computational Science division

The team's work is presented in an article entitled "A Hybrid Approach for Solving Optimization Problems on Small Quantum Computers" that appears in the June 2019 issue of the Institute of Electrical and Electronics Engineers (IEEE) *Computer Magazine*.

Concerns about qubit connectivity, high noise levels, the effort required to correct errors, and the scalability of quantum hardware have limited researchers' ability to deliver the solutions that future [quantum computing](#) promises.

The hybrid algorithms that the team developed employ the best features and capabilities of both classical and quantum computers to address these limitations. For example, classical computers have large memories capable of storing huge datasets—a challenge for [quantum devices](#) that have only a small number of qubits. On the other hand, quantum

algorithms perform better for certain problems than classical algorithms.

To distinguish between the types of computation performed on two completely different types of hardware, the team referred to the classical and quantum stages of hybrid algorithms as central processing units (CPUs) for classical computers and quantum processing units (QPUs) for quantum computers.

The team seized on graph partitioning and clustering as examples of practical and important optimization problems that can already be solved using quantum computers: a small graph problem can be solved directly on a QPU, while larger graph problems require hybrid quantum-classical approaches.

As a problem became too large to run directly on quantum computers, the researchers used decomposition methods to break the problem down into smaller pieces that the QPU could manage—an idea they borrowed from high-performance computing and classical numerical methods.

All the pieces were then assembled into a final solution on the CPU, which not only found better parameters, but also identified the best sub-problem size to solve on a quantum [computer](#).

Such hybrid approaches are not a silver bullet; they do not allow for quantum speedup because using decomposition schemes limits speed as the size of the problem increases. In the next 10 years, though, expected improvements in [qubits](#) (quality, count, and connectivity), error correction, and quantum algorithms will decrease runtime and enable more advanced computation.

"In the meantime," according to Yuri Alexeev, principal project specialist in the Computational Science division, "this approach will enable researchers to use near-term quantum computers to solve

applications that support the DOE mission. For example, it can be applied to find community structures in metabolic networks or a microbiome."

**More information:** Ruslan Shaydulin et al, A Hybrid Approach for Solving Optimization Problems on Small Quantum Computers, *Computer* (2019). DOI: [10.1109/MC.2019.2908942](https://doi.org/10.1109/MC.2019.2908942)

Provided by Argonne National Laboratory

Citation: The best of both worlds: How to solve real problems on modern quantum computers (2019, July 11) retrieved 20 March 2024 from <https://techxplore.com/news/2019-07-worlds-real-problems-modern-quantum.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
---