

Nanoelectrodes record thousands of connected mammalian neurons from inside

September 23 2019, by Leah Burrows



False colored scanning electron microscope image of neurons cultured on top of the electrode array. Actual recording experiments are performed with much higher neuron densities containing three to six cell layers covering the entire electrode array. Credit: Harvard SEAS

How our brain cells, or neurons, use electrical signals to communicate and coordinate for higher brain function is one of the biggest questions in all of science.

For decades, researchers have used electrodes to listen in on and record these signals. The patch clamp electrode, an electrode in a thin glass tube, revolutionized neurobiology in the 1970's with its ability to penetrate a neuron and to record quiet but telltale [synaptic](#) signals from inside the cell. But this tool lacks the ability to record a [neuronal network](#); it can measure only about 10 cells in parallel.

Now, researchers from Harvard University have developed an electronic [chip](#) that can perform high-sensitivity intracellular recording from thousands of connected [neurons](#) simultaneously. This breakthrough allowed them to map synaptic connectivity at an unprecedented level, identifying hundreds of synaptic connections.

"Our combination of the sensitivity and parallelism can benefit fundamental and applied neurobiology alike, including functional connectome construction and [high-throughput](#) electrophysiological screening," said Hongkun Park, Mark Hyman Jr. Professor of Chemistry and Professor of Physics, and co-senior author of the paper.

"The mapping of the biological synaptic network enabled by this long sought-after parallelization of intracellular recording also can provide a new strategy for machine intelligence to build next-generation artificial neural network and neuromorphic processors," said Donhee Ham, Gordon McKay Professor of Applied Physics and Electrical Engineering at the John A. Paulson School of Engineering and Applied Sciences (SEAS), and co-senior author of the paper.


The research is described in *Nature Biomedical Engineering*.

The researchers developed the electronic chip using the same fabrication technology as computer microprocessors. The chip features a dense array of vertically-standing nanometer-scale electrodes on its surface, which are operated by the underlying high-precision integrated circuit.

Coated with platinum powder, each nanoelectrode has a rough surface texture, which improves its ability to pass signals.

Neurons are cultured directly on the chip. The integrated circuit sends a current to each coupled neuron through the nanoelectrode to open tiny holes in its membrane, creating an intracellular access. Simultaneously, the same integrated circuit also amplifies the voltage signals from the neuron picked up by the nanoelectrode through the holes.

"In this way we combined the high sensitivity of intracellular recording and the parallelism of the modern [electronic chip](#)," said Jeffrey Abbott, a postdoctoral fellow in the Department of Chemistry and Chemical Biology and SEAS, and the first author of the paper.



The electronic chip uses the same fabrication technology as computer microprocessors. Credit: Harvard SEAS

In experiments, the array intracellularly recorded more than 1,700 rat neurons. Just 20 minutes of recording gave researchers a never-before-seen look at the neuronal network and allowed them to map more than 300 synaptic connections.

"We also used this high-throughput, high-precision chip to measure the effects of drugs on synaptic connections across the rat neuronal network, and now we are developing a wafer-scale system for high-throughput drug screening for neurological disorders such as schizophrenia, Parkinson's disease, autism, Alzheimer's disease, and addiction," said Abbott.

More information: Jeffrey Abbott et al. A nanoelectrode array for obtaining intracellular recordings from thousands of connected neurons, *Nature Biomedical Engineering* (2019). [DOI: 10.1038/s41551-019-0455-7](https://doi.org/10.1038/s41551-019-0455-7)

Provided by Harvard John A. Paulson School of Engineering and Applied Sciences

Citation: Nanoelectrodes record thousands of connected mammalian neurons from inside (2019, September 23) retrieved 22 May 2024 from <https://techxplore.com/news/2019-09-nanoelectrodes-thousands-mammalian-neurons.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.