


# New salt-based propellant proven compatible in dual-mode rocket engines

September 9 2019

---



University of Illinois at Urbana-Champaign associate professor Joshua Rovey, left, talks about electric propulsion system testing with AE graduate students Nick Rasmont and Matt Klosterman Credit: University of Illinois Department of Aerospace Engineering

For dual-mode rocket engines to be successful, a propellant must function in both combustion and electric propulsion systems. Researchers from the University of Illinois at Urbana-Champaign used a salt-based propellant that had already been proven successful in combustion engines, and demonstrated its compatibility with electrospray thrusters.

"We need a [propellant](#) that will work in both modes," said Joshua Rovey, associate professor in the Department of Aerospace Engineering in The Grainger College of Engineering at the U of I. "So, we created a propellant that is a mixture of two commercially available salts—hydroxylammonium nitrate and emim ethylsulfate. We have published other [research papers](#) showing that salt propellants work in the high-acceleration combustion mode. Now we know that this unique combination of salts will also work in the electric fuel-efficient mode."

With electrospray or colloid propulsion, the thrusters electrostatically accelerate ions and droplets from these liquids. It's a technique that started in the biology/chemistry community, then the propulsion community began looking at it about 20 years ago.

Rovey explained that liquid is fed through a very small diameter needle, or capillary tube. At the tip of the tube, a strong electric field is applied that interacts with the liquid in the tube because the liquid itself is a conductor. The liquid responds to that electric field. Small droplets and ions get pulled out of the liquid—spraying them out of the tube or needle.

In this study, in addition to showing that the propellant could be sprayed, Rovey said they were interested in learning what kinds of chemical species come out in the plume. "Because no one has ever tried this type of propellant before, we expected to see species that no one else has ever seen before and, in fact, we did."

Rovey said they also saw a new swapping of the constituents that make up the two different salts.

"We saw some of the hydroxylammonium nitrate salt bonding with the emim ethyl sulfate [salt](#). The two are mixed together inside the propellant, and are constantly bonding with each other and then detaching.

"There's a [chaotic nature](#) to the system and it was unclear how those interactions within the liquid itself would propagate and show up in the spray. There are no chemical reactions happening. It's just that we start with A and B separately and when they come out in the spray, A and B are bonded together," he said.

Rovey said these findings shed a lot of light on what's happening in these mixtures of salts that are possible propellants for electrosprays. But it also opens doors to a lot of other questions that will lead to fundamental studies that try to understand the interactions within these propellants and how that translates into what comes out in the spray itself.

**More information:** Mitchell J. Wainwright et al, Hydroxylammonium Nitrate Species in a Monopropellant Electrospray Plume, *Journal of Propulsion and Power* (2019). [DOI: 10.2514/1.B37471](#)

Provided by University of Illinois at Urbana-Champaign

Citation: New salt-based propellant proven compatible in dual-mode rocket engines (2019, September 9) retrieved 19 April 2024 from <https://techxplore.com/news/2019-09-salt-based-propellant-proven-compatible-dual-mode.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--