

New continuum robot design achieves motion resolutions of 1 micron or less

November 18 2019



Augmentation of an existing macro-scale, multi-backbones robot with micronscale motion capabilities is achieved by adding wires (red) inside the structure that can slide in and out of the tubular backbones. This allows modulation of the equilibrium shape. The robot still achieves large-scale (macro) motion using the tubular secondary backbones rigidly attached to the top red disc. By direct actuation, pushing and pulling on them, the continuum robot configuration changes. Credit: Vanderbilt University



A new continuum robot designed by Vanderbilt engineers achieves multiscale motion and may open up a huge world of previously impossible complex microsurgeries.

The <u>robot</u> is capable of providing both a large macro motion workspace as necessary for <u>surgical intervention</u> and a small micro motions workspace with motion resolutions of 1 micron or less. For a sense of scale, an inch contains 25,400 microns. A human red blood cell is about eight microns wide, the same size as some bacteria and significantly smaller than the width of the average human hair.

"Our design achieves motion resolutions of 1 micron or less by using inexpensive actuators. This reconfiguration—with minimal added cost—could accelerate the development of a new class of surgical robots capable of both macro-motion for surgical intervention and micro-scale motion for cellular-level imaging or intervention," said Nabil Simaan, professor of mechanical engineering and director of the Advanced Robotics and Mechanism Applications Laboratory.

"This greatly expands the capabilities of robotics in minimally invasive surgery," he said.

The miniaturization and range of motion would allow precise control during procedures on complex aneurysms, tiny veins and arteries, nerves and the delicate structures of the eye, the inner ear and the vocal cords. Potential applications include biopsies, tumor eradication and targeted drug delivery at the cellular level.

Simaan and his team have adapted the flexible architecture of his previous continuum robot to perform at the macro and micro scale by altering the equilibrium pose of the robot, which Simaan calls continuum robots with equilibrium modulation, or CREM.



The flexible architecture of previous continuum robots achieved a wormlike motion for macro-manipulation. The robot is segmented with discs or rings like the body of an earthworm. Each disc is joined together by tiny backbones, or actuation tubes. By adding small elastic wires inside the actuation tubes and moving wires up or down, the static equilibrium of the plates changes, creating motion at the micrometer scale.

"This new class of robots will provide micro-precision while traversing macroscale sinuous pathways to the operation site. Potential benefits include exact tissue reconstruction and complete surgical eradication of tumors," said Simaan, an affiliate of the Vanderbilt Institute for Surgery and Engineering.

The robot uses tubular secondary backbones to achieve the large scale of motion. By pushing and pulling on them, the continuum robot configuration changes. The addition of wires that can slide in and out of the tubular backbones enabled the research team to modulate the equilibrium shape.

Additionally, extensive testing is underway for the incorporation of optical coherence tomography, which is effectively "optical ultrasound" that allows imaging reflections from within tissue.

Simaan and his colleagues, mechanical engineering graduate student Giuseppe Del Giudice, Research Assistant Professor of Ophthalmology and Visual Science Jin-Hui Shen and physician Karen M. Joos, Joseph N. and Barbara H. Ellis Family Professor of Ophthalmology, have accomplished a preliminary integration of a custom-made OCT probe.

Joos' particular research interest is the use of miniature OCT probes with robotic surgical tools to improve visualization for procedures inside the eye. Del Giudice's expertise is in design and control of micro-continuum medical robots, specifically micromanipulation for ophthalmic surgery.



Extending the capabilities of a standard continuum robot in terms of micro-scale motion and targeting could have a deep impact in microsurgery by providing significantly increased dexterity, controllability and precision to surgeons or even the pioneering of previously impossible procedures, Simaan said.

Provided by Vanderbilt University

Citation: New continuum robot design achieves motion resolutions of 1 micron or less (2019, November 18) retrieved 4 May 2024 from <u>https://techxplore.com/news/2019-11-continuum-robot-motion-resolutions-micron.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.