

Mobile mapping more accurate with a novel algorithm

November 20 2019, by K.w. Wesselink Msc (Kees)





Figure 1. A mobile mapping trajectory in Rotterdam with measured ground control points for the validation of the procedure. Credit: University of Twente

A novel algorithm developed by University of Twente Ph.D. candidate Phillipp Fanta-Jende improves the accuracy of surveyed mobile mapping imaging products. It can compensate for measurement errors introduced from erroneous satellite-based positioning usually occurring in urban areas. The novel technique is cost-efficient compared to traditional laborintensive methods while enabling a comparable accuracy in the lowdecimeter range.

Mobile mapping in urban areas

Mobile mapping includes all forms of geospatial data acquisition using a <u>mobile platform</u> carrying one or more sensor systems. One of the most known uses of mobile mapping is Google Street View, where a car with a 360-degree camera mounted on its roof is used to map all streets of the world.

Urban areas often request the use of mobile mapping but are maybe the most difficult areas to map accurately. To make mobile mapping work, the system needs a direct line of sight with multiple navigation satellites to always know its exact location. In <u>urban areas</u>, this can become a problem because tall buildings can block the signal, making the data less accurate.

Dramatic perspective differences

To make the acquired data more accurate, University of Twente Ph.D. candidate Phillipp Fanta-Jende developed an algorithm that uses aerial images—which are widely and often freely available—to correct the



initial data. "One of the major problems I tackled in my thesis, is the dramatic perspective differences between the data sets of aerial images and mobile mapping," says Fanta-Jende. The algorithm has to recognize objects—such as road markings—from an overhead view (aerial imagery) but also a street view (mobile mapping). Identified objects are used to establish thousands of links between the data sets which enables a mathematical procedure to correct the mobile mapping data.

Fanta-Jende's algorithm not only works with aerial images made from a right angle; it is also able to use oblique images. This is especially useful in urban areas where there is not always a direct line of sight to the road straight from above because of vegetation or where no distinct features on the road are present at all.

Tested in Rotterdam

For his research, data from the city of Rotterdam was used as a test area as it offers a typical urban canyon scenario with a great number of highrise buildings. In the tests, an accuracy of 10—20 centimeters was reached from initial errors up to one meter. The accuracy was confirmed by more commonly used techniques that require manual labor.

Further development of this technique happens at affiliated companies such as Cyclomedia and Fugro. The work can be extended towards realtime processing and used for related fields, such as autonomous driving or drones.

Provided by University of Twente

Citation: Mobile mapping more accurate with a novel algorithm (2019, November 20) retrieved 8 May 2024 from <u>https://techxplore.com/news/2019-11-mobile-accurate-algorithm.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.