

The easy route the easy way: New chip calculates the shortest distance in an instant

January 23 2020



Scientists have developed the world's first fully coupled AI chip that can solve the traveling salesman problem for 22 cities instantly, something that would take about 1,200 years for a high-performance von Neumann CPU. Credit: Tokyo University of Science

How would you go about returning books to the correct shelves in a large

library with the least amount of walking? How would you determine the shortest route for a truck that has to deliver many packages to multiple cities? These are some examples of the "traveling salesman problem," a type of "combinatorial optimization" problem, which frequently arises in everyday situations. Solving the traveling salesman problem involves searching for the most efficient of all possible routes. To do this easily, we require the help of low-power, high-performance artificial intelligence.

To solve this conundrum, scientists are actively exploring the use of integrated circuits. In this method, each state in a [traveling salesman problem](#) (for example, each possible route in the delivery truck) is represented by "spin cells," each having one of two states. Using a circuit which can store the strength of one spin cell state over another, the relationship between these states (or to use our analogy, the distance between two cities for the delivery truck) can be obtained. Using a large system containing the same number of spin cells and circuits as the components (or the cities and routes for the delivery truck) in the problem, we can identify the state requiring the least energy, or the [route](#) covering the least distance, thus solving the traveling salesman problem, or any other type of combinatorial optimization problem.

However, a major drawback of the conventional way of using integrated circuits is that it requires pre-processing, and the number of components and time required to input the data increase as the scale of the problem increases. For this reason, this technology has only been able to solve the traveling salesman problem involving a maximum of 16 states, or cities.

A group of researchers led by Professor Takayuki Kawahara of the Department of Electrical Engineering at Tokyo University of Science aimed to overcome this issue. They observed that the interactions between each spin cell is linear, which ensured that the spin cells could only interact with the cells near them, prolonging the processing time.

"We decided to arrange the cells slightly differently to ensure that all spin cells could be connected," Prof Kawahara explains.

To do this, they first arranged the circuits in a two-dimensional array, and the spin cells separately in a one-dimensional arrangement. The [circuits](#) would then read the data and an aggregate of this data was used to switch the states of the spin cells. This would mean that the number of spin [cells](#) required and the time needed for processing were drastically reduced.

The authors have presented their findings at the IEEE 18th World Symposium on Applied Machine Intelligence and Informatics (SAMI 2020). "Our new technique thus represents a fully coupled method," remarks Prof Kawahara, "and has the potential to solve a traveling salesman problem involving up to 22 cities." The authors are hopeful that this technology will have future applications as a high-performance system with low power requirements for office equipment and tablet terminals for finding easily find optimal solutions from large numbers of combinations.

Provided by Tokyo University of Science

Citation: The easy route the easy way: New chip calculates the shortest distance in an instant (2020, January 23) retrieved 19 April 2024 from <https://techxplore.com/news/2020-01-easy-route-chip-shortest-distance.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--