

'PigeonBot' brings aircraft closer to feathered-flight

January 16 2020



Researchers at Stanford University said they had studied the wings of common pigeon cadavers, then used their findings to build a radio-controlled robot with wings made with 40 real feathers

Since the dawn of the aviation era, inventors have strived to build

aircraft that fly as nimbly as birds, whose morphable wings allow for faster, tighter turns and more efficient gliding.

That dream was a step closer to reality Thursday after researchers at Stanford University announced they had studied the wings of common pigeon cadavers, then used their findings to build a radio-controlled "PigeonBot" with wings made with 40 real feathers.

"Aerospace and materials engineers can (now) start rethinking how they can design, manufacture and control materials and wings that morph as deftly as [birds](#) do," said David Lentink, an assistant professor of mechanical engineering at Stanford and the senior author of two papers describing the results in the journals *Science* and *Science Robotics*.

All four-limbed animals, including dinosaurs, evolved from an ancestor that had five digits at the end of its limbs, which became hands, paws, flippers, or wings over time.

Modern birds retained three digits, or fingers. By studying the pigeon wings in a [wind tunnel](#), the researchers found that wrist and finger action provided fine control over feather placement, [wing span](#), and area.

In flight tests, manipulation of the wrist and fingers initiated stable turn maneuvers at tight angles, which the researchers said provided some of the first evidence that birds primarily use these digits to steer in flight.

The teams also drilled into the mechanics of how birds morph their wings, finding that adjacent flight feathers stick together to form a continuous wing using a hook-like microstructure that acts like Velcro.

It locked together as the wing expanded, then slipped loose again as the wing contracted, strengthening the extended [wing](#) and making it resistant to turbulence.

And they found the structures were present in most other [bird species](#) except owls, which allowed them to fly more silently.

Lentink added that the Velcro-like structures, known by their technical name as "lobate cilia," could have a wide range of fashion, medical and aerospace applications which he and colleagues were looking at as an area of future research.

More information: L.Y. Matloff et al., "How flight feathers stick together to form a continuous morphing wing," *Science* (2020).

[science.sciencemag.org/cgi/doi ... 1126/science.aaz3358](https://science.sciencemag.org/cgi/doi/10.1126/science.aaz3358)

Soft biohybrid morphing wings with feathers underactuated by wrist and finger motion, *Science Robotics* (2020). [robotics.sciencemag.org/lookup ... /scirobotics.aay1246](https://robotics.sciencemag.org/lookup/doi/10.1126/scirobotics.aay1246)

© 2020 AFP

Citation: 'PigeonBot' brings aircraft closer to feathered-flight (2020, January 16) retrieved 20 March 2024 from

<https://techxplore.com/news/2020-01-pigeonbot-aircraft-closer-feathered-flight.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--