

New chip brings ultra-low power Wi-Fi connectivity to IoT devices

February 18 2020



Bharadia (center), with graduate student researchers Rohit Kumar (left) and Manideep Dunna (right), displaying a setup in which the Wi-Fi radio would be backscattering between two Wi-Fi compatible devices. Credit: University of California - San Diego

More portable, fully wireless smart home setups. Lower power

wearables. Batteryless smart devices. These could all be made possible thanks to a new ultra-low power Wi-Fi radio developed by electrical engineers at the University of California San Diego.

The device, which is housed in a chip smaller than a grain of rice, enables Internet of Things (IoT) devices to communicate with existing Wi-Fi networks using 5,000 times less [power](#) than today's Wi-Fi radios. It consumes just 28 microwatts of power. And it does so while transmitting data at a rate of 2 megabits per second (a connection fast enough to stream music and most YouTube videos) over a range of up to 21 meters.

The team will present their work at the ISSCC 2020 conference Feb. 16 to 20 in San Francisco.

"You can connect your phone, your smart devices, even small cameras or various sensors to this chip, and it can directly send data from these devices to a Wi-Fi access point near you. You don't need to buy anything else. And it could last for years on a single coin cell battery," said Dinesh Bharadia, a professor of electrical and computer engineering at the UC San Diego Jacobs School of Engineering.

Commercial Wi-Fi radios typically consume hundreds of milliwatts to connect IoT devices with Wi-Fi transceivers. As a result, Wi-Fi compatible devices need either large batteries, frequent recharging or other external power sources to run.





Illustration of the backscattering process. Credit: University of California - San Diego

"This Wi-Fi radio is low enough power that we can now start thinking about new application spaces where you no longer need to plug IoT devices into the wall. This could unleash smaller, fully wireless IoT setups," said UC San Diego electrical and computer engineering professor Patrick Mercier, who co-led the work with Bharadia.


Think a portable Google Home device that you can take around the house and can last for years instead of just hours when unplugged.

"It could also allow you to connect devices that are not currently connected—things that cannot meet the power demands of current Wi-Fi radios, like a smoke alarm—and not have a huge burden on battery replacement," Mercier said.



A set of ultra-low power Wi-Fi radios integrated in small chips, each measuring 1.5 square millimeters in area (grain of rice shown for scale). Credit: David Baillot/UC San Diego Jacobs School of Engineering.

The Wi-Fi radio runs on extremely low power by transmitting data via a technique called backscattering. It takes incoming Wi-Fi signals from a nearby device (like a smartphone) or Wi-Fi access point, modifies the signals and encodes its own data onto them, and then reflects the new signals onto a different Wi-Fi channel to another device or access point.



UC San Diego electrical and computer engineering professor Dinesh Bharadia holds a PCB onto which the Wi-Fi radio is mounted (component underneath the black blob). Credit: University of California - San Diego

This work builds on low-power Wi-Fi radio technology that Bharadia helped develop as a Ph.D. student at Stanford. In this project, he teamed up with Mercier to develop an even lower-power Wi-Fi radio. They accomplished this by building in a component called a wake-up receiver. This "wakes up" the Wi-Fi radio only when it needs to communicate with Wi-Fi signals, so it can stay in low-power sleep mode the rest of the time, during which it consumes only 3 microwatts of power.

The UC San Diego team's improvements to the technology also feature a custom integrated circuit for backscattering data, which makes the whole

system smaller and more efficient, and thus enables their Wi-Fi radio to operate over longer communication range (21 meters). This is a practical distance for operating in a smart home environment, the researchers said.

"Here, we demonstrate the first pragmatic chip design that can actually be deployed in a small, low-power [device](#)," Mercier said.

The paper is titled "A 28 μ W IoT Tag that can Communicate with Commodity WiFi Transceivers via a Single-Side-Band QPSK Backscatter Communication Technique."

Provided by University of California - San Diego

Citation: New chip brings ultra-low power Wi-Fi connectivity to IoT devices (2020, February 18) retrieved 27 April 2024 from <https://techxplore.com/news/2020-02-chip-ultra-low-power-wi-fi-iot.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
