

DNA-like material could bring even smaller transistors

February 10 2020, by Kayla Wiles



Researchers have discovered that a material forms a DNA-like helix when reduced to a string of atoms, as seen by the pink line in this graphic, encapsulated in a nanotube. Credit: Purdue University/Jing-Kai Qin and Pai-Ying Liao

Computer chips use billions of tiny switches, called transistors, to process information. The more transistors on a chip, the faster the computer.



A material shaped like a one-dimensional DNA helix might further push the limits on a transistor's size. The material comes from a rare earth element called tellurium.

Researchers found that the material, encapsulated in a nanotube made of boron nitride, helps build a <u>field-effect transistor</u> with a diameter of two nanometers. Transistors on the market are made of bulkier silicon and range between 10 and 20 nanometers in scale.

The research is published in the journal *Nature Electronics*. Engineers at Purdue University performed the work in collaboration with Michigan Technological University, Washington University in St. Louis, and the University of Texas at Dallas.

Over the past few years, <u>transistors</u> have been built as small as a few nanometers in lab settings. The goal is to build transistors the size of atoms.

Peide Ye's lab at Purdue is one of many research groups seeking to exploit materials much thinner than silicon to achieve both smaller and higher-performing transistors.

"This tellurium material is really unique. It builds a functional transistor with the potential to be the smallest in the world," said Ye, Purdue's Richard J. and Mary Jo Schwartz Professor of Electrical and Computer Engineering.

In 2018, the same research team at Purdue discovered tellurene, a twodimensional material derived from tellurium. They found that transistors made with this material could carry significantly more electrical current, making them more efficient.

The discovery made them curious about what else tellurium could do for



transistors. The element's ability to take the form of an ultrathin material in one dimension could help with downsizing transistors even further.

One way to shrink field-effect transistors, the kind found in most electronic devices, is to build the gates that surround thinner nanowires. These nanowires are protected within nanotubes.



These silver, wiggling lines are strings of atoms in tellurium behaving like DNA. Researchers have not seen this behavior in any other material. Credit: University of Texas at Dallas/Qingxiao Wang and Moon Kim

Jing-Kai Qin and Pai-Ying Liao, Purdue electrical and computer engineering doctoral students, led work in figuring out how to make



tellurium as small as a single atomic chain and then build transistors with these atomic chains or ultrathin nanowires.

They started off growing one-dimensional chains of tellurium atoms. Wenzhuo Wu's lab at Purdue synthesized bare tellurium nanowires for comparison. A team led by Li Yang at Washington University simulated how tellurium might behave.

The researchers were surprised to find that the atoms in these onedimensional chains wiggle. These wiggles were made visible through TEM imaging performed by Moon Kim at the University of Texas at Dallas and Hai-Yan Wang at Purdue.

"Silicon atoms look straight, but these tellurium atoms are like a snake. This is a very original kind of structure," Ye said.

The wiggles were the atoms strongly bonding to each other in pairs to form DNA-like helical chains, then stacking through weak forces called van der Waals interactions to form a tellurium crystal.

These van der Waals interactions would set apart tellurium as a more effective material for single atomic chains or one-dimensional nanowires compared with others because it's easier to fit into a nanotube, Ye said.

Since the opening of a nanotube can't be any smaller than the size of an atom, tellurium helices of <u>atoms</u> could achieve smaller nanowires and, therefore, smaller transistors.

The researchers built a transistor with a tellurium nanowire encapsulated in a boron nitride nanotube, provided by physics professor Yoke Khin Yap's lab at the Michigan Technological University. A high-quality <u>boron nitride</u> nanotube effectively insulates <u>tellurium</u>, making it possible to build a transistor.



Xianfan Xu's lab at Purdue characterized the material's properties with Raman spectroscopy to benchmark its performance.

"This research reveals more about a promising material that could achieve faster computing with very <u>low power consumption</u> using these tiny transistors," said Joe Qiu, program manager for the U.S. Army Research Office, which funded this work. "That technology would have important applications for the Army."

More information: Jingkai Qin et al. Raman Response and Transport Properties of One-Dimensional van der Waals Tellurium Nanowires. *Nature Electronics* 2020. <u>DOI: 10.1038/s41928-020-0365-4</u>

Provided by Purdue University

Citation: DNA-like material could bring even smaller transistors (2020, February 10) retrieved 1 May 2024 from <u>https://techxplore.com/news/2020-02-dna-like-material-smaller-transistors.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.