


# Researchers develop efficient distributed deep learning

February 18 2020



A networked set of agents (denoted as colored nodes) train their individual deep neural nets using locally available data while interacting with neighbor nodes through available communication links (represented using grey edges). Credit: U.S. Army graphic

A new algorithm is enabling deep learning that is more collaborative and communication-efficient than traditional methods.

Army researchers developed algorithms that facilitate distributed, decentralized and collaborative learning capabilities among devices, avoiding the need to pool all data at a central server for learning.

"There has been an exponential growth in the amount of data collected and stored locally on individual smart devices," said Dr. Jemin George, an Army scientist at the U.S. Army Combat Capabilities Development Command's Army Research Laboratory. "Numerous research efforts as well as businesses have focused on applying machine learning to extract value from such massive data to provide data-driven insights, decisions and predictions."

However, none of these efforts address any of the issues associated with applying machine learning to a contested, congested and constrained battlespace, George said. These battlespace constraints become more apparent when the devices are using [deep learning algorithms](#) for decision-making due to the heavy computational costs in terms of learning time and processing power.

"This research tries to address some of the challenges of applying machine learning, or deep learning, in military environments," said Dr. Prudhvi Gurram, a scientist who contributed to this research. "Early indications and warnings of threats enhance situational awareness and contribute to how the Army evolves and adapts to defeat adversarial threats."

The researchers presented their findings at the 34th Association for the Advancement of Artificial Intelligence Conference on Artificial Intelligence in New York. A pre-print version of the paper is online..

In an earlier study (see Related Links below), the researchers demonstrated that the distributed [deep learning](#) algorithms can yield the same performance as the typical centralized learning algorithms without

aggregating the data at a single, central location, while decreasing the learning time linearly with the number of devices or agents involved in distributed learning.

"Distributed learning algorithms typically require numerous rounds of communication among the agents or devices involved in the learning process to share their current model with the rest of the network," George said. "This presents several communication challenges."

The Army researchers developed a new technique to significantly decrease the communication overhead, by up to 70% in certain scenarios, without sacrificing the learning rate or performance accuracy.

The researchers developed a triggering mechanism, which allowed the individual agents to communicate their model with their neighbors only if it has significantly changed since it was last transmitted. Though this significantly decreases the communication interaction among the agents, it does not affect the overall learning rate or the performance accuracy of the final learned model, George said.

Army researchers are investigating how this research can be applied to the Internet of Battlefield Things, incorporating quantized and compressed communication schemes to the current algorithm to further reduce the [communication](#) overhead.

The Army's modernization priorities include next-generation computer networks (see Related Links below), which enable the Army to deliver leader-approved technology capabilities to warfighters at the best possible return on investment for the Army.

Future efforts will evaluate the algorithm behavior on larger, military-relevant datasets using the computing resources available through the U.S. Army AI Innovation Institute, with the [algorithm](#) expected to

transition to run on edge devices, George said.

**More information:** Distributed Deep Learning with Event-Triggered Communication, arXiv:1909.05020 [math.OC]  
[arxiv.org/abs/1909.05020](https://arxiv.org/abs/1909.05020)

Distributed Stochastic Gradient Method for Non-Convex Problems with Applications in Supervised Learning, arXiv:1908.06693 [math.OC]  
[arxiv.org/abs/1908.06693](https://arxiv.org/abs/1908.06693)

Provided by The Army Research Laboratory

Citation: Researchers develop efficient distributed deep learning (2020, February 18) retrieved 16 April 2024 from <https://techxplore.com/news/2020-02-efficient-deep.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.