

## A new low-cost solar technology for environmental cooling

March 24 2020



Credit: CC0 Public Domain

Space cooling and heating is a common need in most inhabited areas. In Europe, the energy consumed for air conditioning is rising, and the situation could get worse in the near future due to the temperature increase in different regions worldwide. The increasing cooling need in buildings, especially during the summer season, is satisfied by air conditioners, which often make use of refrigerants with high



environmental impact and also lead to high electricity consumption. So, how can engineers reduce the energy demand for building cooling?

A new study published in *Science Advances* by a research group based at the Politecnico di Torino (SMaLL) and the National Institute of Metrological Research (INRiM) proposes a device capable of generating a cooling load without the use of electricity. Like more traditional cooling devices, this new technology also exploits the evaporation of a liquid. However, the key idea proposed by the Turin researchers is to use simple water and common salt instead of chemicals that are potentially harmful for the environment. The environmental impact of the new device is also reduced because it is based on passive phenomena, i.e., spontaneous processes of capillarity and evaporation, instead of pumps and compressors that require energy and maintenance.

"Cooling by <u>water evaporation</u> has always been known. As an example, nature makes use of sweat evaporation from the skin to cool down our body. However, this strategy is effective as long as air is not saturated with water vapor. Our idea was to come up with a low-cost technology capable of maximizing the cooling effect regardless of the external water vapor conditions. Instead of being exposed to air, pure water is in contact with an impermeable membrane that keeps it separated from a highly concentrated salty solution. The membrane can be imagined as a porous sieve with pore size in the order of one-millionth of a meter. Owing to its water-repellent properties, our membrane liquid water does not pass through the membrane, whereas its vapor does. In this way, the fresh and salt water do not mix, while a constant water vapor flux occurs from one end of the membrane to the other. As a result, pure water gets cooled, with this effect being further amplified thanks to the presence of different evaporation stages. Clearly, the salty water concentration will constantly decrease and the cooling effect will diminish over time; however, the difference in salinity between the two solutions can be continuously—and sustainably—restored using solar energy, as also



demonstrated in another recent study from our group," explains Matteo Alberghini, Ph.D. student at the Energy Department of the Politecnico di Torino and first author of the research.

The interesting feature of the suggested device is its modular design composed of cooling units a few centimeters thick each, which can be stacked to increase the <u>cooling effect</u> in series, as happens with common batteries. In this way, it is possible to fine-tune the cooling power according to individual needs, possibly reaching cooling capacity comparable to that typically necessary for domestic use. Furthermore, water and salt do not need pumps or other auxiliaries to be transported within the device. On the contrary, it moves spontaneously thanks to capillary effects of some components which are capable of absorbing and transporting water, even against gravity.

"Other technologies for passive cooling are also being tested in various labs and research centers worldwide, such as those based on infrared heat dissipation into outer space—also known as radiative passive cooling. Those approaches, although promising and suitable for some applications, also present major limitations: The principle on which they are based may be ineffective in tropical climates and in general on very humid days, when the need for conditioning would be high; moreover, there is a theoretical limit for the maximum cooling power. Our passive prototype, based instead on evaporative cooling between two aqueous solutions with different salinities, could overcome this limit, creating a useful effect independent of external humidity. Moreover, we could obtain an even higher cooling capacity in the future by increasing the concentration of the saline solution or by resorting to a more sophisticated modular design of the device," wrote the researchers.

Also, the simplicity of the device assembly and the required materials entails a low production cost, on the order of a few euros for each cooling stage. As such, the <u>device</u> could be ideal for installations in rural



areas, where the possible lack of well-trained technicians can make operation and maintenance of traditional cooling systems difficult. Interesting applications can also be envisioned in regions with high availability of salt <u>water</u>, such as coastal regions in the vicinity of large desalination plants or nearby salt marshes and salt mines.

As of now, the technology is not yet ready for immediate commercial exploitation, and further developments (also subject to future funding or industrial partnerships) are necessary. In perspective, this technology could be used in combination with existing and more traditional <u>cooling</u> systems for effectively implementing energy saving strategies.

**More information:** Matteo Alberghini et al. Multistage and passive cooling process driven by salinity difference, *Science Advances* (2020). DOI: 10.1126/sciadv.aax5015

Eliodoro Chiavazzo et al. Passive solar high-yield seawater desalination by modular and low-cost distillation, *Nature Sustainability* (2018). DOI: 10.1038/s41893-018-0186-x

Provided by Politecnico di Torino

Citation: A new low-cost solar technology for environmental cooling (2020, March 24) retrieved 26 April 2024 from <a href="https://techxplore.com/news/2020-03-low-cost-solar-technology-environmental-cooling.html">https://techxplore.com/news/2020-03-low-cost-solar-technology-environmental-cooling.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.