


A combined optical transmitter and receiver

April 3 2020



The tiny unit that can both receive and transmit optical signals. Credit: Magnus Johansson

Researchers at Linköping University, together with colleagues in China, have developed a tiny unit that is both an optical transmitter and a receiver. "This is highly significant for the miniaturisation of optoelectronic systems," says LiU professor Feng Gao.

Chunxiong Bao, postdoc at Linköping University, types in a sentence on a computer screen, and the same sentence immediately appears on the neighbouring screen, optically transferred from one [diode](#) to another. The diode is made from [perovskite](#), one of a large family of materials defined by their special crystal structure.

Perovskites consist of metal and halogen and have proved to be versatile semiconductors that are easy and cheap to manufacture. They also have the useful property of both detecting and emitting light. Researchers at Linköping University, together with colleagues in China, have now developed a diode that can be directed in two directions: it can receive [optical signals](#) and it can just as easily transmit them. This means that text and photographs can be wirelessly transmitted from one unit to the other and back again, using two identical units. And so rapidly that we experience it as happening in real time.

In the autumn of 2018, Chunxiong Bao discovered the correct perovskite to build a photodetector showing higher performance and longer lifetime, and described this in an article in *Advanced Materials*. The development of light-emitting diodes from perovskites has also made rapid progress. Weidong Xu, postdoc at Linköping University, developed a perovskite light-emitting diode with an efficiency of 21% last year, which is among the best in the world, and published the results in *Nature Photonics*. What the scientists have now achieved is to develop a perovskite that comprises a light-emitting diode and that at the same time is an excellent photodetector.



Chunxiong Bao and Feng Gao, Linköping University. Credit: Thor Balkhed

All optical communication requires rapid and reliable photodetectors—devices that capture light and convert it into an [electrical signal](#). Current [optical communication](#) systems use photodetectors made from materials such as silicon and indium gallium arsenide. These are, however, expensive and they cannot be used in applications that require low weight, flexibility, or large surfaces.

"In order to demonstrate the potential of our diode with double function, we have built a monolithic sensor that detects heart beats in real time, and an optical, bidirectional communication system," says Chunxiong Bao, researcher in the Division of Biomolecular and Organic

Electronics.

This tiny unit that can both receive and transmit optical signals provides a unique opportunity to simplify and shrink the functionality of the current optical systems, in particular given that it can also be integrated with traditional electronic circuits.

"We have managed to integrate optical signal transmission and reception into one circuit, something that makes it possible to transmit optical signals in both directions between two identical circuits. This is valuable in the field of miniaturised and integrated optoelectronics," says Feng Gao, professor and head of research at the Division of Biomolecular and Organic Electronics.

The results have been published in *Nature Electronics*.

More information: Chunxiong Bao et al, Bidirectional optical signal transmission between two identical devices using perovskite diodes, *Nature Electronics* (2020). [DOI: 10.1038/s41928-020-0382-3](https://doi.org/10.1038/s41928-020-0382-3)

Provided by Linköping University

Citation: A combined optical transmitter and receiver (2020, April 3) retrieved 20 March 2024 from <https://techxplore.com/news/2020-04-combined-optical-transmitter.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--