


## Thanks to 'flexoskeletons,' these insectinspired robots are faster and cheaper to make

April 9 2020, by Ioana Patringenaru



Ph.D. student James Jiang, the paper's first author, shows one of the flexoskeletons developed with the researchers' 3-D printing method. Credit: University of California - San Diego



Engineers at the University of California San Diego have developed a new method that doesn't require any special equipment and works in just minutes to create soft, flexible, 3-D-printed robots.

The innovation comes from rethinking the way soft robots are built: instead of figuring out how to add <u>soft materials</u> to a rigid robot body, the UC San Diego researchers started with a soft body and added rigid features to key components. The structures were inspired by insect exoskeletons, which have both soft and rigid parts—the researchers called their creations "flexoskeletons."

The new method allows for the construction of soft components for robots in a small fraction of the time previously needed and for a small fraction of the cost.

"We hope that these flexoskeletons will lead to the creation of a new class of soft, bioinspired robots," said Nick Gravish, a mechanical engineering professor at the Jacobs School of Engineering at UC San Diego and the paper's senior author. "We want to make <u>soft robots</u> easier to build for researchers all over the world."

The new method makes it possible to build large groups of flexoskeleton robots with little manual assembly as well as assemble a library of Legolike components so that robot parts can be easily swapped.

The flexoskeletons are made from 3-D printing a rigid material on a thin sheet that acts as a flexible base. They are printed with various features that increase rigidity in specific areas—again inspired by insect exoskeletons, which combine softness and rigidity for movement and support.


Researchers detail their work in the April 7 issue of the journal *Soft Robotics*. The team plans to make their designs available to researchers at



other institutions as well as high schools.

One flexoskeleton component takes 10 minutes to print and costs less than \$1. Flexoskeleton printing can be done on most low-cost commercially available printers. Printing and assembling a whole robot takes under two hours.

Researchers surveyed a range of materials until they found the right flexible surface to print the flexoskeletons on—that turned out to be a sheet of polycarbonate. Careful observation of insect behavior led them to add features to increase rigidity.



The printed parts are easily swappable. Credit: University of California - San Diego



The ultimate goal is to create an <u>assembly line</u> that prints whole flexoskeleton robots without any need for hand assembly. A swarm of these small robots could do as much work as one massive robot on its own—or more.

In 1989, iRobot co-founder Rodney Brooks, then at the MIT Artificial Intelligence Lab, advocated for <u>space missions</u> that would consist of "large numbers of mass produced simple autonomous robots that are small by today's standards." He and coauthor Anita Flynn titled the paper "Fast, cheap and out of control: a <u>robot</u> invasion of the solar system." The paper was seminal for Gravish, who hopes this study is one step further in that direction—but for the entire field of robotics, not just space.

**More information:** Mingsong Jiang et al. Flexoskeleton Printing Enables Versatile Fabrication of Hybrid Soft and Rigid Robots, *Soft Robotics* (2020). DOI: 10.1089/soro.2019.0156

## Provided by University of California - San Diego

Citation: Thanks to 'flexoskeletons,' these insect-inspired robots are faster and cheaper to make (2020, April 9) retrieved 20 March 2024 from <a href="https://techxplore.com/news/2020-04-flexoskeletons-insect-inspired-robots-faster-cheaper.html">https://techxplore.com/news/2020-04-flexoskeletons-insect-inspired-robots-faster-cheaper.html</a>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.