


Scientists develop high-performance lithium-sulfur batteries

April 17 2020



Schematic illustration for molecular-level design of pyrrhotite electrocatalyst decorated hierarchical porous carbon spheres as nanoreactors for lithium-sulfur batteries Credit: DICP

Recently, research groups led by Prof. Liu Jian and Prof. Wu Zhongshuai from the Dalian Institute of Chemical Physics (DICP) of the Chinese Academy of Sciences have developed Fe_{1-x}S -decorated mesoporous carbon spheres as the nanoreactor for a lithium-sulfur battery cathode. The nanoreactor showed excellent polysulfide catalytic activity and cyclic stability. The study was published in *Advanced Energy Materials* on Apr. 16.

Lithium-sulfur batteries have a high theoretical energy density of 2600 Wh kg^{-1} and theoretical capacity of 1675 mAh g^{-1} . However, the slow conversion reaction dynamics of sulfur in the process of charging and discharging lead to low utilization rate of sulfur and a serious shuttle effect. This further reduces the capacity and stability of lithium-sulfur batteries.

Therefore, a reasonably designed electrocatalytic system would realize steady and efficient catalytic transformation of polysulfide under high sulfur loading, resulting in high cyclic stability. In the current study, the researchers designed a mesoporous carbon nanoreactor decorated with highly dispersed Fe_{1-x}S electrocatalyst nanoparticles ($\text{Fe}_{1-x}\text{S-NC}$), and applied it as a lithium-sulfur battery cathode for high [catalytic activity](#) and high sulfur loading.

The nanoreactor has low mass density, high porosity, and a highly dispersed electrocatalyst, which significantly improves the adsorption and catalytic conversion capacity of polysulfides. The researchers found that there was virtually no decay in capacity of $\text{Fe}_{1-x}\text{S-NC}$ from an initial value of 1070 mAh g^{-1} after 200 cycles and under a [current density](#) of 0.5 C .

"The nanoreactor design strategy provides a new protocol for building high-[capacity](#) and long-cycle rechargeable batteries," said Prof. Liu. "It will also open an avenue for design of safer and high-energy-density Li-

metal batteries."

More information: Yash Boyjoo et al, Molecular-Level Design of Pyrrhotite Electrocatalyst Decorated Hierarchical Porous Carbon Spheres as Nanoreactors for Lithium–Sulfur Batteries, *Advanced Energy Materials* (2020). [DOI: 10.1002/aenm.202000651](https://doi.org/10.1002/aenm.202000651)

Provided by Chinese Academy of Sciences

Citation: Scientists develop high-performance lithium-sulfur batteries (2020, April 17) retrieved 10 April 2024 from <https://techxplore.com/news/2020-04-scientists-high-performance-lithium-sulfur-batteries.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.