


# **Thin, iron-based generator uses waste heat to provide small amounts of power**

April 27 2020

---




This diagram shows researchers how electrical energy exists in a sample of Fe<sub>3</sub>Ga. Credit: © 2020 Sakai et al

Researchers have found a way to convert heat energy into electricity with a nontoxic material. The material is mostly iron, which is extremely cheap given its relative abundance. A generator based on this material could power small devices such as remote sensors or wearable devices. The material can be thin so it could be shaped into various forms.

There's no such thing as a free lunch, or [free energy](#). But if your energy demands are low enough, say, for example, in the case of a small sensor, then there is a way to harness [heat energy](#) to supply power without wires or batteries. Research Associate Akito Sakai and [group members](#) from his laboratory at the University of Tokyo Institute for Solid State Physics and Department of Physics, led by Professor Satoru Nakatsuji, and from the Department of Applied Physics, led by Professor Ryotaro Arita, have taken steps toward this goal with their innovative iron-based [thermoelectric material](#).

"So far, all the study on thermoelectric generation has focused on the established but limited Seebeck effect," said Nakatsuji. "In contrast, we focused on a relatively less familiar phenomenon called the anomalous Nernst effect (ANE)."

ANE produces a voltage perpendicular to the direction of a temperature gradient across the surface of a suitable material. The phenomenon could simplify the design of thermoelectric generators and enhance their conversion efficiency if the right materials become more readily available.




Thermoelectric devices based on the anomalous Nernst effect (left) and the Seebeck effect (right). (V) represents the direction of current, (T) the temperature gradient and (M) the magnetic field. Credit: © 2020 Sakai et al

"We made a material that is 75 percent iron and 25 percent aluminum ( $\text{Fe}_3\text{Al}$ ) or gallium ( $\text{Fe}_3\text{Ga}$ ) by a process called doping," said Sakai. "This significantly boosted ANE. We saw a twentyfold jump in voltage compared to undoped samples, which was exciting to see."

This is not the first time the team has demonstrated ANE, but previous experiments used materials less readily available and more expensive than iron. The attraction of this device is partly its low-cost and nontoxic constituents, but also the fact that it can be made in a thin-film form so that it can be molded to suit various applications.

"The thin and flexible structures we can now create could harvest energy more efficiently than generators based on the Seebeck effect," explained Sakai. "I hope our discovery can lead to thermoelectric technologies to power wearable devices, remote sensors in inaccessible places where batteries are impractical, and more."



A diagram to show the nodal web structure responsible for the anomalous Nernst effect. Credit: © 2020 Sakai et al

Before recent times this kind of development in materials science would mainly come about from repeated iterations and refinements in experiments which were both time-consuming and expensive. But the team relied heavily on [computational methods](#) for [numerical calculations](#) effectively reducing time between the initial idea and proof of success.

"Numerical calculations contributed greatly to our discovery; for

example, high-speed automatic calculations helped us find suitable materials to test," said Nakatsuji. "And first principles calculations based on quantum mechanics shortcut the process of analyzing electronic structures we call nodal webs which are crucial for our experiments."

"Up until now this kind of numerical calculation was prohibitively difficult," said Arita. "So we hope that not only our materials, but our computational techniques can be useful tools for others as well. We are all keen to one day see devices based on our discovery."

The study is published in *Nature*.

**More information:** Iron-based binary ferromagnets for transverse thermoelectric conversion, *Nature*, DOI: [10.1038/s41586-020-2230-z](https://doi.org/10.1038/s41586-020-2230-z) , [www.nature.com/articles/s41586-020-2230-z](https://www.nature.com/articles/s41586-020-2230-z)

Provided by University of Tokyo

Citation: Thin, iron-based generator uses waste heat to provide small amounts of power (2020, April 27) retrieved 10 April 2024 from <https://techxplore.com/news/2020-04-thin-iron-based-small-amounts-power.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--