

# Supercapacitor promises storage, high power and fast charging

May 5 2020, by Walt Mills



An illustration of the manganese oxide @ cobalt manganese oxide capacitor provided by the lab of Penn State researcher Huanyu "Larry" Cheng. The bottom purple layer is N-doped graphene with upper purple layer manganese oxide @ cobalt manganese oxide separated by a filter paper separator. An induced electric field allows charging and discharging (blue lightning) of the capacitor, creating electrons (fish bones) and OH ions (fish). Shocking Tom (cat) represents

shockingly fast electron and ion transport. Credit: Xiaonan Hu

A new supercapacitor based on manganese oxide could combine the storage capacity of batteries with the high power and fast charging of other supercapacitors, according to researchers at Penn State and two universities in China.

"Manganese oxide is definitely a promising material," said Huanyu "Larry" Cheng, assistant professor of engineering science and mechanics and faculty member in the Materials Research Institute, Penn State. "By combining with cobalt manganese oxide, it forms a heterostructure in which we are able to tune the interfacial properties."

The group started with simulations to see how manganese oxide's properties change when coupled with other materials. When they coupled it to a semiconductor, they found it made a conductive interface with a low resistance to electron and ion transport. This will be important because otherwise the material would be slow to charge.

"Exploring [manganese](#) oxide with cobalt [manganese oxide](#) as a positive electrode and a form of graphene [oxide](#) as a negative electrode yields an asymmetric [supercapacitor](#) with [high energy density](#), remarkable power density and excellent cycling stability," according to Cheng Zhang, who was a visiting scholar in Cheng's group and is the lead author on a paper published recently in *Electrochimica Acta*.

The group has compared their supercapacitor to others and theirs has much higher energy density and power. They believe that by scaling up the lateral dimensions and thickness, their material has the potential to be used in electric vehicles. So far, they have not tried to scale it up. Instead, their next step will be to tune the interface where the

semiconducting and conducting layers meet for even better performance. They want to add the supercapacitor to already developed flexible, wearable electronics and sensors as an energy supply for those devices or directly as self-powered sensors.

Cheng Zhang is now an assistant professor at Minjiang University, China. The second Chinese university is Guizhou Education University. The paper is "Efficient Coupling of Semiconductors into Metallic  $\text{MnO}_2@ \text{CoMn}_2\text{O}_4$  Heterostructured Electrode with Boosted Charge Transfer for High-performance Supercapacitors."

**More information:** Cheng Zhang et al. Efficient coupling of semiconductors into metallic  $\text{MnO}_2@ \text{CoMn}_2\text{O}_4$  heterostructured electrode with boosted charge transfer for high-performance supercapacitors, *Electrochimica Acta* (2020). [DOI: 10.1016/j.electacta.2020.136246](https://doi.org/10.1016/j.electacta.2020.136246)

Provided by Pennsylvania State University

Citation: Supercapacitor promises storage, high power and fast charging (2020, May 5) retrieved 19 April 2024 from <https://techxplore.com/news/2020-05-supercapacitor-storage-high-power-fast.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--