


Double-sided solar panels that follow the sun prove most cost effective

June 3 2020



This graphical abstract summarizes how this work performs a comprehensive techno-economic analysis worldwide for photovoltaic systems using a combination of bifacial modules and single- and dual-axis trackers. The researchers found that single-axis trackers with bifacial modules achieve the lowest LCOE in the majority of locations (16% reduction on average). Yield is boosted by 35% by using bifacial modules with single-axis trackers and by 40% in combination with dual-axis trackers. Credit: Rodríguez-Gallegos et al./Joule

Solar power systems with double-sided (bifacial) solar panels—which collect sunlight from two sides instead of one—and single-axis tracking technology that tilts the panels so they can follow the sun are the most cost effective to date, researchers report June 3rd in the journal *Joule*. They determined that this combination of technologies produces almost 35% more energy, on average, than immobile single-panel photovoltaic systems, while reducing the cost of electricity by an average of 16%.

"The results are stable, even when accounting for changes in the [weather conditions](#) and in the costs from the [solar panels](#) and the other components of the photovoltaic system, over a fairly wide range," says first author Carlos Rodríguez-Gallegos, a research fellow at the Solar Energy Research Institute of Singapore, sponsored by the National University of Singapore. "This means that investing in bifacial and tracking systems should be a safe bet for the foreseeable future."

Research efforts tend to focus on further boosting [energy](#) output from [solar power systems](#) by improving solar cell efficiency, but the energy yield per panel can also be increased in other ways. Double-sided solar panels, for example, produce more energy per unit area than their standard counterparts and can function in similar locations, including rooftops. This style of solar panel, as well as tracking technology that allows each panel to capture more light by tilting in line with the sun throughout the day, could significantly improve the energy yield of solar cells even without further advancements in the capabilities of the cells themselves. However, the combined contributions of these recent technologies have not been fully explored.

To identify the global economic advantages associated with the use of a variety of paired photovoltaic technologies, Rodríguez-Gallegos and colleagues first used data from NASA's Clouds and the Earth's Radiant Energy System (CERES) to measure the total radiation that reaches the ground each day. The researchers further tailored this data to account for

the influence of the sun's position on the amount of radiation a solar panel can receive based on its orientation, and then calculated the average net cost of generating electricity through a photovoltaic system throughout its lifetime. They focused on large photovoltaic farms composed of thousands of modules rather than smaller photovoltaic systems, which generally include higher associated costs per module. The team validated their model using measured values from experimental setups provided by three institutes and incorporated additional weather parameters to perform a worldwide analysis.

The model suggests that double-sided solar panels combined with single-axis tracking technology is most [cost effective](#) almost anywhere on the planet, although dual-axis trackers—which follow the sun's path even more accurately but are more expensive than single-axis trackers—are a more favorable substitute in latitudes near the poles. But despite this technology's clear benefits, Rodríguez-Gallegos does not expect this style of [photovoltaic](#) system to become the new standard overnight.

"The photovoltaics market is traditionally conservative," he says. "More and more evidence points toward bifacial and tracking technology to be reliable, and we see more and more of it adopted in the field. Still, transitions take time, and time will have to show whether the advantages we see are attractive enough for installers to make the switch."

While this work considers standard silicon-based solar cells, Rodríguez-Gallegos and colleagues next plan to analyze the potential of tracking systems combined with pricey, top-of-the-line solar materials with higher efficiencies (called tandem technologies), which are currently limited to heavy-duty concentrator photovoltaics and space applications.

"As long as research continues to take place, the manufacturing [costs](#) of these materials are expected to keep on decreasing, and a point in time might be reached when they become economically competitive and you

might see them on your roof," says Rodríguez-Gallegos. "We then aim to be a step ahead of this potential future so that our research can be used as a guide for scientists, manufacturers, installers, and investors."

More information: *Joule*, Rodríguez-Gallegos et al.: "Global Techno-Economic Performance of Bifacial and Tracking Photovoltaic Systems" [www.cell.com/joule/fulltext/S2542-4351\(20\)30188-4](http://www.cell.com/joule/fulltext/S2542-4351(20)30188-4) , DOI: [10.1016/j.joule.2020.05.005](https://doi.org/10.1016/j.joule.2020.05.005)

Provided by Cell Press

Citation: Double-sided solar panels that follow the sun prove most cost effective (2020, June 3) retrieved 9 April 2024 from <https://techxplore.com/news/2020-06-double-sided-solar-panels-sun-effective.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--