


These flexible feet help robots walk faster

June 1 2020



An off-the-shelf six-legged robot equipped with the feet designed by UC San Diego engineers can walk up to 40 percent faster than when not equipped with the feet. Credit: University of California San Diego

Roboticians at the University of California San Diego have developed

flexible feet that can help robots walk up to 40 percent faster on uneven terrain such as pebbles and wood chips. The work has applications for search-and-rescue missions as well as space exploration.

"Robots need to be able to walk fast and efficiently on natural, uneven terrain so they can go everywhere humans can go, but maybe shouldn't," said Emily Lathrop, the paper's first author and a Ph.D. student at the Jacobs School of Engineering at UC San Diego.

The researchers will present their findings at the RoboSoft conference which takes place virtually May 15 to July 15, 2020.

"Usually, robots are only able to control motion at specific joints," said Michael T. Tolley, a professor in the Department of Mechanical and Aerospace Engineering at UC San Diego and senior author of the paper. "In this work, we showed that a [robot](#) that can control the stiffness, and hence the shape, of its [feet](#) outperforms traditional designs and is able to adapt to a wide variety of terrains."

The feet are flexible spheres made from a latex membrane filled with coffee grounds. Structures inspired by nature—such as plant roots— and by man-made solutions— such as piles driven into the ground to stabilize slopes— are embedded in the coffee grounds.

The feet allow robots to walk faster and grip better because of a mechanism called granular jamming that allows granular media, in this case the coffee grounds, to go back and forth between behaving like a solid and behaving like a liquid. When the feet hit the ground, they firm up, conforming to the ground underneath and providing solid footing. They then unjam and loosen up when transitioning between steps. The support structures help the flexible feet remain stiff while jammed.

It's the first time that such feet have been tested on uneven terrain, like

gravel and wood chips.

The feet were installed on a commercially available hexapod robot. Researchers designed and built an on-board system that can generate [negative pressure](#) to control the jamming of the feet, as well as positive pressure to unjam the feet between each step. As a result, the feet can be actively jammed, with a vacuum pump removing air from between the coffee grounds and stiffening the foot. But the feet also can be passively jammed, when the weight of the robot pushes the air out from between the [coffee grounds](#) inside, causing them to stiffen.



No obstacle



Flat obstacle



Small rocky obstacle



Large rocky obstacle

The soft robotic foot conforms to the surfaces on which it steps, allowing the robot to walk faster. Credit: University of California San Diego

Researchers tested the robot walking on flat ground, [wood chips](#) and pebbles, with and without the feet. They found that passive jamming feet perform best on flat ground but active jamming feet do better on

loose rocks. The feet also helped the robot's legs grip the ground better, increasing its speed. The improvements were particularly significant when the robot walked up sloped, [uneven terrain](#).

"The natural world is filled with challenging grounds for walking robots—slippery, rocky, and squishy substrates all make walking complicated," said Nick Gravish, a professor in the UC San Diego Department of Mechanical and Aerospace Engineering and study coauthor. "Feet that can adapt to these different types of ground can help robots improve mobility."

In a companion paper co-authored by Tolley and Gravish with Ph.D. student Shivan Chopra as first author, researchers quantified exactly how much improvement each foot generated. For example, the foot reduced by 62 percent the depth of penetration in the sand on impact; and reduced by 98 percent the force required to pull the foot out when compared to a fully rigid foot.

Next steps include incorporating soft sensors on the bottom of the feet to allow an electronic control board to identify what kind of ground the robot is about to step on and whether the feet need to be jammed actively or passively.

Researchers will also keep working to improve design and control algorithms to make the feet more efficient.

Provided by University of California - San Diego

Citation: These flexible feet help robots walk faster (2020, June 1) retrieved 27 April 2024 from <https://techxplore.com/news/2020-06-flexible-feet-robots-faster.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private

study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.