

# **Lithium ion battery waste used in biodiesel production from discarded vegetable oil**

July 21 2020

---



The two-phase system containing biodiesel (upper phase) and glycerol (lower phase) Credit: Gilberto Maia de Brito

The production of biodiesel from vegetable oil has been around for more than 150 years, and the approach significantly reduces several pollutants associated with burning fossil fuels. Vegetable oils, however, can be notoriously difficult to use in an engine, providing low power output and release of unique toxic byproducts.

Brazilian researchers demonstrated a new chemical approach for producing [biodiesel](#) from domestic cooking oil waste by using hydroxide lithium mixed with either sodium hydroxides or potassium hydroxides as catalysts. Their work, published in the *Journal of Renewable and Sustainable Energy*, by AIP Publishing, could enable future studies related to the use of lithium from waste lithium ion batteries.

The work marks one of the first times lithium has been used for such purposes. Author Gilberto Maia de Brito said green engineering can yield solutions for a variety of problems at the same time.

"The results achieved in this work will make it possible to expand the use of new types of metallic catalysts to a higher level, such as lithium, applied to the production of biodiesel," he said. "Before, in practice, these were just restricted to sodium hydroxide and potassium hydroxide."

The group's technique draws on one proposed solution for creating biodiesel, called transesterification, which can yield fuel in a matter of minutes at room temperature.

The researchers collected waste cooking oil samples from [fast food restaurants](#) and homes, some of the biggest sources of waste disposed of inappropriately, and lithium hydroxide from lithium ion battery waste.

When catalyzed by the mixture of metal hydroxides, the transesterification reaction split the cooking oil into a biodiesel layer and a layer of glycerol, which itself can be used in a variety of ways such as producing food sweeteners, alleviating certain skin conditions and acting as a main reactant in making antifreeze.

With the right proportions of catalysts, the group was able to produce biodiesel with an [average yield](#) of 90%. They analyzed the biodiesel, using techniques ranging from infrared spectroscopy to chromatography to nuclear magnetic resonance studies, to assess the purity of their fuel.

"We were surprised that what came out was not only some results, but actually very good results related to the yield production," Maia de Brito said. "The fast phase separation and the main chemistry and physics properties of that biodiesel produced from lithium were also surprising."

Maia de Brito hopes to continue finding new ways to recover [lithium](#) from waste and use it to facilitate biofuel production even further.

**More information:** Gilberto Maia Brito et al, Eco-green biodiesel production from domestic waste cooking oil by transesterification using LiOH into basic catalysts mixtures, *Journal of Renewable and Sustainable Energy* (2020). [DOI: 10.1063/5.0005625](https://doi.org/10.1063/5.0005625)

Provided by American Institute of Physics

Citation: Lithium ion battery waste used in biodiesel production from discarded vegetable oil

(2020, July 21) retrieved 10 April 2024 from <https://techxplore.com/news/2020-07-lithium-ion-battery-biodiesel-production.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.