

Beyond batteries: Scientists build methanol-powered beetle bot

August 19 2020, by Issam Ahmed



The RoBeetle. Credit: Yang et al., *Sci. Robot.* 5, eaba0015 (2020)

Scientists have long envisioned building tiny robots capable of navigating environments that are inaccessible or too dangerous for humans—but finding ways to keep them powered and moving has been impossible to achieve.

A team at the University of Southern California has now made a

breakthrough, building an 88-milligram (one three hundredth of an ounce) "RoBeetle" that runs on methanol and uses an artificial muscle system to crawl, climb and carry loads on its back for up to two hours.

It is just 15 millimeters (.6 inches) in length, making it "one of the lightest and smallest autonomous robots ever created," its inventor Xiufeng Yang told AFP.

"We wanted to create a robot that has a weight and size comparable to real insects," added Yang, who was lead author of a paper describing the work in Science Robotics on Wednesday.

The problem is that most robots need motors that are themselves bulky and require electricity, which in turn makes batteries necessary.

The smallest batteries available weigh 10-20 times more than a tiger beetle, a 50 milligram insect the team used as their reference point.

To overcome this, Yang and his colleagues engineered an artificial muscle system based on [liquid fuel](#)—in this case methanol, which stores about 10 times more energy than a battery of the same mass.

The "muscles" are made from nickel-titanium alloy wires—also known as Nitinol—which contracts in length when heated, unlike most metals that expand.

The wire was coated in a platinum powder that acts as a catalyst for the combustion of methanol vapor.

As the vapor from RoBeetle's fuel tank burns on the platinum powder, the wire contracts, and an array of microvalves shut to stop more combustion.

The wire then cools and expands, which once more opens the valves, and the process repeats itself until all the fuel is spent.

The expanding and contracting artificial muscles are connected to the RoBeetles' front legs through a transmission mechanism, which allows it to crawl.


The team tested their robot on a variety of flat and inclined surfaces made from materials that were both smooth, like glass, and rough, like mattress pads.

RoBeetle could carry a load of up to 2.6 times its own weight on its back and run for two hours on a full tank, said Yang.

By contrast, "the smallest battery-powered crawling robot weighs one gram and operates about 12 minutes."

In the future, microbots may be used for a variety of applications like infrastructure inspection or search-and-[rescue missions](#) after [natural disasters](#).

They might also assist in tasks like artificial pollination or [environmental monitoring](#).



Comparison of various untethered microrobots and bioinspired soft robots that use different power and actuation strategies. Credit: A. Kitterman/Science Robotics from R.L.T./MIT

Roboticians Ryan Truby and Shuguang Li, of MIT and Harvard respectively, wrote in an accompanying commentary that RoBeetle was "an exciting microrobotics milestone," but added there were also opportunities for improvement.

For example, the [robot](#) is limited to continuous forward motion, and taking electronics out of the equation reduces its capacity to carry out sophisticated tasks.

More information: X. Yang et al., "An 88-milligram insect-scale autonomous crawling robot driven by a catalytic artificial muscle,"

Science Robotics (2020). [robotics.sciencemag.org/lookup.../scirobotics.aba0015](https://robotics.sciencemag.org/lookup/doi/10.1126/scirobotics.aba0015)

© 2020 AFP

Citation: Beyond batteries: Scientists build methanol-powered beetle bot (2020, August 19)
retrieved 2 May 2024 from
<https://techxplore.com/news/2020-08-batteries-scientists-methanol-powered-beetle-bot.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.