


Coffee stains inspire optimal printing technique for electronics

August 12 2020



Particle trajectories of drying droplets, with red arrows showing the trajectory end. Credit: Tawfique Hasan

Have you ever spilled your coffee on your desk? You may then have observed one of the most puzzling phenomena of fluid mechanics—the coffee ring effect. This effect has hindered the industrial deployment of functional inks with graphene, 2-D materials, and nanoparticles because it makes printed electronic devices behave irregularly.

Now, after studying this process for years, a team of researchers have created a new family of inks that overcomes this problem, enabling the fabrication of new electronics such as sensors, light detectors, batteries and solar cells.

Coffee rings form because the liquid evaporates quicker at the edges, causing an accumulation of solid particles that results in the characteristic dark ring. Inks behave like coffee—particles in the ink accumulate around the edges creating irregular shapes and uneven surfaces, especially when printing on hard surfaces like [silicon wafers](#) or plastics.

Researchers, led by Tawfique Hasan from the Cambridge Graphene Centre of the University of Cambridge, with Colin Bain from the Department of Chemistry of Durham University, and Meng Zhang from School of Electronic and Information Engineering of Beihang University, studied the physics of ink droplets combining particle tracking in high-speed micro-photography, fluid mechanics, and different combinations of solvents.




Their solution: alcohol, specifically a mixture of isopropyl alcohol and 2-butanol. Using these, ink particles tend to distribute evenly across the droplet, generating shapes with uniform thickness and properties. Their results are reported in the journal *Science Advances*.

Solutal Marangoni effect

Capillary spreading
Spherical-cap droplet

Enhanced spreading
Pancake droplet

Uniform deposits



Capillary flow Evaporation


Solutal Marangoni flow

Credit: University of Cambridge

"The natural form of ink droplets is spherical—however, because of their composition, our ink droplets adopt pancake shapes," said Hasan.

While drying, the new ink droplets deform smoothly across the surface, spreading particles consistently. Using this universal formulation, manufacturers could adopt inkjet printing as a cheap, easy-to-access strategy for the fabrication of electronic devices and sensors. The new inks also avoid the use of polymers or surfactants—commercial additives used to tackle the [coffee ring effect](#), but at the same time thwart the electronic properties of graphene and other 2-D materials.

Most importantly, the new methodology enables reproducibility and scalability—researchers managed to print 4500 nearly identical devices on a silicon wafer and plastic substrate. In particular, they printed gas sensors and photodetectors, both displaying very little variations in performance. Previously, printing a few hundred such devices was considered a success, even if they showed uneven behavior.



Credit: University of Cambridge

"Understanding this fundamental behavior of ink droplets has allowed us to find this ideal solution for [inkjet printing](#) all kinds of two-dimensional crystals," said first author Guohua Hu. "Our formulation can be easily scaled up to print new [electronic devices](#) on silicon wafers, or plastics, and even in spray painting and wearables, already matching or exceeding the manufacturability requirements for printed devices."

Beyond graphene, the team has optimized over a dozen ink formulations containing different materials. Some of them are graphene two-dimensional 'cousins' such as black phosphorus and boron nitride, others are more complex structures like heterostructures - 'sandwiches' of different 2-D materials—and nanostructured materials. Researchers say their ink formulations can also print pure nanoparticles and organic

molecules. This variety of materials could boost the manufacturing of electronic and photonic devices, as well as more efficient catalysts, [solar cells](#), batteries and functional coatings.



Credit: University of Cambridge

The team expects to see industrial applications of this technology very soon. Their first proofs of concept—printed sensors and photodetectors—have shown promising results in terms of sensitivity and consistency, exceeding the usual industry requirements. This should attract investors interested in printed and flexible electronics.

"Our technology could speed up the adoption of inexpensive, low-power,

ultra-connected sensors for the internet of things," said Hasan. "The dream of smart cities will come true."

More information: "A general ink formulation of 2D crystals for wafer-scale inkjet printing" *Science Advances* (2020). [DOI: 10.1126/sciadv.aba5029](https://doi.org/10.1126/sciadv.aba5029)

Provided by University of Cambridge

Citation: Coffee stains inspire optimal printing technique for electronics (2020, August 12) retrieved 3 May 2024 from <https://techxplore.com/news/2020-08-coffee-optimal-technique-electronics.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--