


## **Researchers create fly-catching robots**

September 28 2020



a A six-arm robot on a dandelion can self-grip when approaching magnetic tweezers without harming the fragile structure of the flower. b The same robot can also grab, transport, and release nonmagnetic objects such as a polyurethane foam cube controlled by a permanent magnet. c Manta ray-shaped robot with a cargo swimming in water. d Triangle-shaped swimming robot twisting around its main axis and therefore moving forward in the water, both driven by a square wave magnetic field. e Triangle-shaped walking robot rolling itself in air at high speeds when subjected to an alternating magnetic field. Scale bars, 0.5 cm. Credit: *Communications Materials* (2020). DOI: 10.1038/s43246-020-00067-1



An international team of Johannes Kepler University researchers is developing robots made from soft materials. A new article in the journal *Communications Materials* demonstrates how these kinds of soft machines react using weak magnetic fields to move very quickly—even grabbing a quick-moving fly that has landed on it.

When we imagine a moving machine, such as a robot, we picture something largely made out of hard materials, says Martin Kaltenbrunner. He and his team of researchers at the JKU's Department of Soft Matter Physics and the LIT Soft Materials Lab have been working to build a <u>soft materials</u>-based system. When creating these kinds of systems, there is a basic underlying idea to create conducive conditions that support close robot-human interaction in the future—without the solid machine physically harming humans.

## Stable, yet stretchable and flexible

In June, scientists presented a new approach for electromagnetic motors. Instead of <u>copper wire</u> and iron, elastic materials and <u>liquid metal</u> now form the basic ingredients for the so-called actuator. Scientists also recently introduced a new type of bio-gel in a journal article in *Nature Materials* which is elastic, flexible, and stable enough to be combined with <u>electronic components</u> in order to create a kind of "soft <u>robot</u>."

A team led by Kaltenbrunner and Denys Makarov (Helmholtz Center Dresden-Rossendorf) is now taking the development of these kinds of machines one step further. The two researchers noted that before, a drawback was that these wirelessly designed soft robots were only able to change shape very slowly. Their new idea is based on using the flexible plastic polydimethylsiloxane and mixing in magnetic microparticles such as an alloy of neodymium, iron and boron.

The researchers gave their small, soft robots different shapes. Depending



on the shape, where the microparticles were placed, and on the thickness of the materials used, the robots were able to move in different ways when exposed to a changing magnetic field in their environment. These actuators are just a few micrometers thin and a few micrograms in weight so they require little energy to move. In addition, the components can repeat the movements millions of times without any changes.

## Hover, swim, catch flies

By influencing and changing the magnetic field, Kaltenbrunner and his colleagues have managed to build tiny robots that could hover, swim and—in the broadest sense—even walk. They also showed that in just a few milliseconds, their flower-shaped robots could catch a fly that had landed on it.

Scientists say this now paves the way to new opportunities to develop soft robots that also move very quickly. The long-term idea is to primarily produce more complex mini-machines that could, for example, help unblock blood vessels in the human body. In order to do this, the materials used would have to be biodegradable and easy to control.

**More information:** Xu Wang et al. Untethered and ultrafast softbodied robots, *Communications Materials* (2020). <u>DOI:</u> <u>10.1038/s43246-020-00067-1</u>

## Provided by Johannes Kepler University Linz

Citation: Researchers create fly-catching robots (2020, September 28) retrieved 10 May 2024 from <u>https://techxplore.com/news/2020-09-fly-catching-robots.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.