


AI reduces 'communication gap' for nonverbal people by as much as half

October 19 2020



Credit: Volodymyr Hryshchenko on Unsplash

Researchers have used artificial intelligence to reduce the communication gap for nonverbal people with motor disabilities who rely on computers to converse with others.

The team, from the University of Cambridge and the University of Dundee, developed a new context-aware method that reduces this communication gap by eliminating between 50% and 96% of the

keystrokes the person has to type to communicate.

The system is specifically tailed for nonverbal people and uses a range of context clues—such as the user's location, the time of day or the identity of the user's speaking partner—to assist in suggesting sentences that are the most relevant for the user.

Nonverbal people with motor disabilities often use a computer with speech output to communicate with others. However, even without a physical disability that affects the typing process, these communication aids are too slow and error-prone for meaningful conversation: typical typing rates are between five and 20 words per minute, while a typical speaking rate is in the range of 100 to 140 words per minute.

"This difference in communication rates is referred to as the communication gap," said Professor Per Ola Kristensson from Cambridge's Department of Engineering, the study's lead author. "The gap is typically between 80 and 135 words per minute and affects the quality of everyday interactions for people who rely on computers to communicate."

The method developed by Professor Kristensson and his colleagues uses artificial intelligence to allow a user to quickly retrieve sentences they have typed in the past. Prior research has shown that people who rely on speech synthesis, just like everyone else, tend to reuse many of the same phrases and sentences in everyday conversation. However, retrieving these phrases and sentences is a time-consuming process for users of existing speech synthesis technologies, further slowing down the flow of conversation.

In the new system, as the person is typing, the system uses information retrieval algorithms to automatically retrieve the most relevant previous sentences based on the text typed and the context the conversation the

person is involved in. Context includes information about the conversation such as the location, time of day, and automatic identification of the speaking partner's face. The other speaker is identified using a computer vision algorithm trained to recognize human faces from a front-mounted camera.

The system was developed using design engineering methods typically used for jet engines or medical devices. The researchers first identified the critical functions of the system, such as the word auto-complete function and the [sentence](#) retrieval function. After these functions had been identified, the researchers simulated a nonverbal person typing a large set of sentences from a sentence set representative of the type of text a nonverbal person would like to communicate.

This analysis allowed the researchers to understand the best method for retrieving sentences and the impact of a range of parameters on performance, such as the accuracy of word-auto complete and the impact of using many context tags. For example, this analysis revealed that only two reasonably accurate context tags are required to provide the majority of the gain. Word-auto complete provides a positive contribution but is not essential for realizing the majority of the gain. The sentences are retrieved using information retrieval algorithms, similar to web search. Context tags are added to the words the user types to form a query.

The study is the first to integrate context-aware information retrieval with speech-generating devices for people with motor disabilities, demonstrating how context-sensitive [artificial intelligence](#) can improve the lives of people with motor disabilities.

"This method gives us hope for more innovative AI-infused systems to help people with [motor disabilities](#) to communicate in the future," said Professor Kristensson. "We've shown it's possible to reduce the

opportunity cost of not doing [innovative research](#) with AI-infused user interfaces that challenge traditional user interface design mantra and processes."

More information: Per Ola Kristensson et al. A Design Engineering Approach for Quantitatively Exploring Context-Aware Sentence Retrieval for Nonspeaking Individuals with Motor Disabilities, *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (2020). [DOI: 10.1145/3313831.3376525](https://doi.org/10.1145/3313831.3376525)

Provided by University of Cambridge

Citation: AI reduces 'communication gap' for nonverbal people by as much as half (2020, October 19) retrieved 20 April 2024 from <https://techxplore.com/news/2020-10-ai-gap-nonverbal-people.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
