


Making disorder for an ideal battery

October 13 2020



Three-dimensional surface of sodium ion diffusion in a hydroborate crystal. This new material forms a disordered yet highly symmetrical structure, allowing a mobility of sodium comparable to that of lithium in commercial battery. Credit: © UNIGE/Brighi

The lithium batteries that power electronic devices and electric vehicles have a number of drawbacks. The electrolyte—the medium that enables electrons and positive charges to move between the electrodes—is a flammable liquid. What's more, lithium is a limited resource that has become the focus of major geopolitical issues. Specialists in crystallography at the University of Geneva (UNIGE) have developed a non-flammable, solid electrolyte that operates at room temperature. It

transports sodium, which is found everywhere on Earth, instead of lithium. It's a winning combination that also means it is possible to manufacture batteries that are more powerful. The properties of these ideal batteries would be based on the crystalline structure of the electrolyte, a hydroborate consisting of boron and hydrogen. The UNIGE research team has published a study in the journal *Cell Reports Physical Science* containing the strategy for manufacturing solid electrolytes intended for battery developers.

The challenge of storing energy is colossal for sustainability initiatives. Indeed, the development of [electric vehicles](#) that do not emit greenhouse gasses hinges on the existence of powerful, safe batteries, just as the development of renewable energy sources including solar and wind depends on energy storage capacities. Lithium batteries are the current answer to these challenges. Unfortunately, [lithium](#) requires liquid electrolytes, which are highly explosive in the event of a leak.

"What's more, lithium isn't found everywhere on earth, and it creates geopolitical issues similar to those surrounding oil. Sodium is a good candidate to replace it because it has chemical and [physical properties](#) close to lithium and is found everywhere," argues Fabrizio Murgia, a post-doctoral fellow in UNIGE's Faculty of Sciences.

Too high a temperature

The two elements—[sodium](#) and lithium—are near each other in the periodic table. "The problem is that sodium is heavier than its cousin lithium. That means it has difficulty making its way around in the battery electrolyte," says Matteo Brighi, a post-doctoral fellow at UNIGE and the study's first author. Accordingly, there is a need to develop electrolytes capable of transporting cations such as sodium. In 2013 and 2014, Japanese and American research groups identified hydroborates as good sodium conductors at over 120°C. At first glance, this is an

excessive temperature for everyday use of batteries, but would prove to be a godsend for the Geneva laboratory.

With decades of expertise in hydroborates used in applications such as hydrogen storage, the Geneva crystallographers set about working on lowering the conduction temperature. "We obtained very good results with excellent properties compatible with batteries. We succeeded in using hydroborates as an electrolyte from room temperature to 250 degrees Celsius with no safety issues. What's more, they resist higher potential differences, meaning the batteries can store more energy," continues Radovan Cerny, a professor in UNIGE's Laboratory of Crystallography and project leader.

The solution: a disorder

Crystallography, a science positioned between mineralogy, physics and chemistry, is used to analyze and understand the structures of chemical substances and predict their properties. Via crystallography, it is possible to design materials. It is this crystallographic approach that was used to implement the manufacturing strategies published by the trio of Geneva-based researchers.

"Our article offers examples of structures that can be used to create and disrupt the hydroborates," says Murgia. The structure of the hydroborates allows spheres of boron and negatively-charged hydrogen to emerge. These spherical spaces leave enough room for positively-charged sodium ions to pass.

"Nevertheless, as the negative and positive charges attract each other, we needed to create disorder in the structure to disrupt the hydroborates and allow the sodium to move," says Brighi.

More information: Matteo Brighi et al, Closo-Hydroborate Sodium

Salts as an Emerging Class of Room-Temperature Solid Electrolytes,
Cell Reports Physical Science (2020). [DOI: 10.1016/j.xcrp.2020.100217](https://doi.org/10.1016/j.xcrp.2020.100217)

Provided by University of Geneva

Citation: Making disorder for an ideal battery (2020, October 13) retrieved 16 April 2024 from <https://techxplore.com/news/2020-10-disorder-ideal-battery.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.