


# More skin-like: An electronic skin that can feel

November 24 2020



An image of recognition when the ion-electronic skin was pushed. The temperature change and direction of force in the part of contact are accurately recognized.

Credit: Pohang University of Science & Technology (POSTECH)

What if we didn't have skin? We would have no sense of touch, no detection of coldness or pain, leaving us unable to respond to most situations. The skin is not just a protective shell for organs, but rather a signaling system for survival that provides information on the external stimuli or temperature, or a meteorological observatory that reports the weather. Tactile receptors, tightly packed throughout the skin, feel the temperature or mechanical stimuli—such as touching or pinching—and convert them into electrical signals to the brain.


The challenge for [electronic skin](#), being developed for use in artificial skins or humanlike robots like the humanoids, is for it to feel the temperatures and movements like [human skin](#) feels them as much as possible. So far, there are electronic skins that can detect movement or temperature separately, but none are able to recognize both simultaneously like human [skin](#).

A joint research team consisting of POSTECH professor Unyong Jeong and Dr. Insang You of the Department of Materials Science and Engineering, and Professor Zhenan Bao of Stanford University have together developed a multimodal ion-electronic skin that can measure temperature and mechanical stimulation at the same time. The research findings, published in the November 20th edition of *Science*, are characterized by making very simple structures through applying special properties of the ion conductors.

There are various tactile receptors in human skin that can detect hot or cold temperatures as well as other tactile sensations such as pinching, twisting or pushing. Through these receptors, humans can distinguish between mechanical stimuli and temperature. The conventional electronic skin fabricated so far had difficulties with measuring temperature if mechanical stimuli were applied to the skin.

Human skin is freely stretchable yet unbreakable because it is full of

electrolytes, so the joint research team made the sensor using these materials. They also took advantage of the fact that the ion conductor material containing electrolyte can have different measurable properties according to its measurement frequency. On the basis of the new finding, a multifunctional artificial receptor was created that can measure a tactile sensation and temperature at the same time.



After attaching a sensor, the temperature changes of the ion-electronic skin before and after imbibing alcoholic drink was measured with an IR camera. The ion-electronic skin accurately recognizes body temperature despite the movement of the neck. Credit: POSTECH

In addition, the research team derived variables—the charge relaxation time and the normalized capacitance—that only respond to temperatures in ion conductors and variables that only respond to mechanical stimuli. The outputs of the variables could be obtained measuring at only two measurement frequencies. The charge relaxation time, which is the time it takes for the polarization of the ions to disappear, can measure temperature and does not respond to movements, and the normalized capacitance can measure the movements without responding to temperature.

This artificial receptor with a simple electrode-electrolyte-electrode structure has great commercialization potential and accurately measures the temperature of the object applied as well as the direction or strain profile upon [external stimuli](#) such as squeezing, pinching, spreading and twisting.

The multimodal ion-electronic skin, which can be freely stretched or modified but can also detect temperature, is anticipated to be applicable in wearable temperature sensors or in robot skins for humanlike robots.

"When an [index finger](#) touches an electronic skin, the electronic skin detects contact as a temperature change, and when a finger pushes the skin, the back part of the contact area stretches and recognizes it as movement," explained Dr. Insang You of POSTECH who is the first author of the paper. "I suspect that this mechanism is one of the ways that the actual human skin recognizes different [stimuli](#) like [temperature](#) and movement."

"This study is the first step in opening the door for multimodal electronic skin research using electrolytes," remarked Professor Unyong Jeong of POSTECH and the corresponding author. "The ultimate goal of this

research is to create artificial ion-electronic skin that simulates human tactile receptors and neurotransmitters, which will help restore the [sense of touch](#) in patients who have lost their tactile sensation due to illness or accidents."

**More information:** Insang You et al, Artificial multimodal receptors based on ion relaxation dynamics, *Science* (2020). [DOI: 10.1126/science.aba5132](#)

Provided by Pohang University of Science & Technology

Citation: More skin-like: An electronic skin that can feel (2020, November 24) retrieved 20 March 2024 from <https://techxplore.com/news/2020-11-skin-like-electronic-skin.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--