

Automating material-matching for movies and video games

December 11 2020, by Adam Conner-Simons



Caption: This is not a photograph — every object in this image was auto-created and textured using the MATch software developed at MIT. Credit: Massachusetts Institute of Technology

Very few of us who play video games or watch computer-generated

image-filled movies ever take the time to sit back and appreciate all the handiwork that make their graphics so thrilling and immersive.

One key aspect of this is texture. The glossy pictures we see on our screens often appear seamlessly rendered, but they require huge amounts of work behind the scenes. When effects studios create scenes in computer-assisted design programs, they first 3-D model all the objects that they plan to put in the scene, and then give a texture to each generated object: for example, making a wood table appear to be glossy, polished or matte.

If a designer is trying to recreate a particular texture from the [real world](#), they may find themselves digging around online trying to find a close match that can be stitched together for the scene. But most of the time you can't just take a photo of an object and use it in a scene—you have to create a set of "maps" that quantify different properties like roughness or light levels.

There are programs that have made this process easier than ever before, like the Adobe Substance software that helped propel the photorealistic ruins of Las Vegas in "[Blade Runner 2049](#)." However, these so-called "procedural" programs can take months to learn, and still involve painstaking hours or even days to create a particular texture.

A team led by researchers from MIT's Computer Science and Artificial Intelligence Laboratory (CSAIL) has developed an approach that they say can make texturing even less tedious, to the point where you can snap a picture of something you see in a store, and then go recreate the material on your home laptop.

"Imagine being able to take a photo of a pair of jeans that you can then have your character wear in a [video game](#)," says Ph.D. student Liang Shi, lead author of a paper about the new "MATch" project. "We believe this

system would further close the gap between 'virtual' and 'reality.'"




Fig. 2. An exemplar leather material graph created using Substance Designer. The graph starts with several generator nodes that provide initial patterns for subsequent filter nodes to manipulate. The graph is internally partitioned into subgraphs that create different visual attributes of the leather pattern. It outputs four material maps that define the parameters of an SVBRDF.

Even the design of a simple leather shoe can be made up of dozens of different textures. Credit: Massachusetts Institute of Technology

Shi says that the goal of MATch is to "significantly simplify and expedite the creation of synthetic materials using machine learning." The team evaluated MATch on both rendered synthetic materials and real materials captured on camera, and showed that it can reconstruct materials more accurately and at a higher resolution than existing state-of-the-art methods.

A collaboration with researchers at Adobe, one core element is a new library called "DiffMat" that essentially provides the various building blocks for constructing different textured materials.

The team's framework involves dozens of so-called "procedural graphs" made up of different nodes that all act like mini-Instagram filters: They take some input and transform it in a certain artistic way to produce an

output.

"A graph simply defines a way to combine hundreds of such filters to achieve a very complex visual effect, like a particular texture," says Shi. "The [neural network](#) selects the most appropriate combinations of filter nodes until it perceptually matches the appearance of the user's input image."

Moving forward, Shi says that Adobe is interested in incorporating the team's work into future versions of Substance. In terms of next steps, the team would like to go beyond inputting just a single flat sample, and to instead be able to capture materials from images of curved objects, or with multiple materials in the image.

They also hope to expand the pipeline to handle more complex materials that have different properties depending on how they are pointed. (For example, with a piece of wood you can see lines going in one direction "with the grain"; wood is stronger with the grain compared to "against the grain").

More information: MATch: Differentiable Material Graphs for Procedural Material Capture.

people.csail.mit.edu/liangs/papers/ToG20.pdf

This story is republished courtesy of MIT News (web.mit.edu/newsoffice/), a popular site that covers news about MIT research, innovation and teaching.

Provided by Massachusetts Institute of Technology

Citation: Automating material-matching for movies and video games (2020, December 11) retrieved 23 April 2024 from

<https://techxplore.com/news/2020-12-automating-material-matching-movies-video-games.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.