


The compound that makes chili peppers spicy also boosts perovskite solar cell performance

January 13 2021



Perovskite solar cells containing capsaicin. Credit: Jin Yang

Scientists in China and Sweden have determined that a pinch of capsaicin, the chemical compound that gives chili peppers their spicy sting, may be a secret ingredient for more stable and efficient perovskite



solar cells. The research, published January 13 in the journal *Joule*, determined that sprinkling capsaicin into the precursor of methylammonium lead triiodide (MAPbI₃) perovskite during the manufacturing process led to a greater abundance of electrons (instead of empty placeholders) to conduct current at the semiconductor's surface. The addition resulted in polycrystalline MAPbI3 solar cells with the most efficient charge transport to date.

"In the future, green and sustainable forest-based biomaterial additive technology will be a clear trend in non-toxic lead-free <u>perovskite</u> materials," says Qinye Bao, a senior author of the study from East China Normal University. "We hope this will eventually yield a fully green perovskite solar cell for a clean energy source."

While metal halide perovskite semiconductors represent a promising component for state-of-the-art solar cell technologies, they are plagued by nonradiative recombination, an undesirable electron-level process that reduces efficiency and exacerbates heat losses. Bao and colleagues sought out a natural, forest-based, inexpensive additive to overcome this limitation and enhance solar cell performance.

"Considering the electric, chemical, optical, and stable properties of <u>capsaicin</u>, we preliminarily found that it would be a promising candidate," says Bao.

To test capsaicin's capabilities, Bao and colleagues added 0.1 wt% of the compound (the optimal determined concentration) into a MAPbI₃ perovskite precursor, which they used to fabricate solar cells. Next, the researchers performed a series of techniques, including ultraviolet photoelectron spectroscopy, X-ray photoelectron spectroscopy, and time-resolved photoluminescence to determine how the capsaicin additive affected the solar cells' properties. They found that while control devices showed a power conversion efficiency of only 19.1%, devices containing



capsaicin had an efficiency of 21.88% - nearly as high as the record 21.93% efficiency of single-crystal MAPbI₃ devices. The enhanced solar cells also showed improved stability, maintaining more than 90% of their initial efficiency after 800 hours of storage in ambient air.

Bao and colleagues also determined that capsaicin greatly reduced the perovskite film's defect density, increasing electron density by an order of magnitude and boosting charge transport. Additionally, they observed a smaller leakage current in solar cells containing the chili pepper compound, suggesting it successfully suppressed nonradiative recombination.

Capsaicin enabled these improvements by transforming the perovskite material's surface energetics, creating an interface between p-type semiconductor layers, which contain more electron-deficient "holes" than electrons, and n-type semiconductor layers, which contain more electrons than "holes." This interface promotes charge transport and suppresses the loss of efficiency observed in traditional perovskite semiconductors.

While capsaicin may provide a low-cost, widely available additive for the future development of scaled-up, highly efficient perovskite solar cells, Bao and colleagues note that further research is required to investigate the compound's effect on non-toxic, lead-free perovskites such as inorganic perovskite and double perovskite. Additionally, the material's stability must be further honed before it will be ready for commercial applications.

"We will further focus on the relationship between chemical structures of natural forest-based biomaterial additives, their interaction with photoactive materials, and the corresponding photovoltaic performance," says Bao. "We hope to generate new knowledge of great value to further increase the <u>power conversion efficiency</u> and stability of perovskite solar



cells."

More information: *Joule*, Hao and Xiong et al.: "Direct observation on p- to n-type transformation of perovskite surface region during defect passivation driving high photovoltaic efficiency" www.cell.com/joule/fulltext/S2542-4351(20)30608-5, DOI: 10.1016/j.joule.2020.12.009

Provided by Cell Press

Citation: The compound that makes chili peppers spicy also boosts perovskite solar cell performance (2021, January 13) retrieved 10 April 2024 from https://techxplore.com/news/2021-01-compound-chili-peppers-spicy-boosts.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.