

Highly conductive antiperovskites with soft anion lattices

January 12 2021, by I. Mindy Takamiya, Mari Toyama



Soft anions, like sulfur ions (S^{2-}), provide an ideal conduction path for sodium (Na^+) and lithium (Li^+) ions, with the hydride ions (H^-) helping to stabilize the compound's structure. Credit: Mindy Takamiya/Kyoto University iCeMS

A new structural arrangement of atoms shows promise for developing safer batteries made with solid materials. Scientists at Kyoto University's Institute for Integrated Cell-Material Sciences (iCeMS) designed a new

type of 'antiperovskite' that could help efforts to replace the flammable organic electrolytes currently used in lithium ion batteries. Their findings were described in the journal *Nature Communications*.

Perovskite compounds are being tested and used in a wide range of technologies due to their excellent ability to conduct electricity, among other properties. They can be made from a large combination of atoms with the formula ABX_3 , where A and B are positively charged atoms and X is a negatively charged one.

Recently, scientists have been tinkering with compounds called antiperovskites. These flip the formula, combining two types of negatively charged 'anions' and one type of positively charged 'cation.' They also have numerous intriguing properties, including superconductivity and, in contrast to most materials, contraction upon heating.

Lithium- and sodium-rich antiperovskites, such as Li_3OCl and Na_3OCl , have been attracting much attention due to their high ionic conductivity and alkali metal concentration, making them promising candidates to replace liquid electrolytes used in lithium ion batteries. "But achieving a comparable lithium ion conductivity in [solid materials](#) has been challenging," explains iCeMS solid-state chemist Hiroshi Kageyama, who led the study.

Kageyama and his team synthesized a new family of lithium- and sodium-rich antiperovskites that begins to overcome this issue. Instead of 'hard' oxygen and halogen anions, their antiperovskites contain a hydrogen anion, called a hydride, and 'soft' chalcogen anions like sulfur.

The scientists conducted a wide range of theoretical and experimental investigations on these antiperovskites, and found that the soft anion lattice provides an ideal conduction path for lithium and sodium ions,

which can be further enhanced by chemical substitutions.

The advantages of this new family of antiperovskites appear to be due, in part, to the hydride's ability to change its size and expand its compositional space. This helps stabilize the compound's structure. Additionally, its anomalous vibrational mode assists ionic conductivity.

"There is still much room for improvement by further experimentation with chemical substitutions," says Kageyama. "This could eventually lead to solid-state electrolytes in all-solid-state metal-ion batteries for high performance electrical vehicles."

More information: Shenghan Gao et al. Hydride-based antiperovskites with soft anionic sublattices as fast alkali ionic conductors, *Nature Communications* (2021). [DOI: 10.1038/s41467-020-20370-2](https://doi.org/10.1038/s41467-020-20370-2)

Provided by Kyoto University

Citation: Highly conductive antiperovskites with soft anion lattices (2021, January 12) retrieved 19 April 2024 from <https://techxplore.com/news/2021-01-highly-antiperovskites-soft-anion-lattices.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.