

Research helps solar technology become more affordable

February 18 2021, by Ben Robinson



Credit: CC0 Public Domain

Scientists at The University of Manchester have found a way to accelerate the uptake of solar technology, by increasing the environmental safety of perovskite solar cells.

Perovskite solar cells have attracted interest because, unlike silicon solar cells, they can be mass produced through roll-to-roll processing. Additionally, they are light and colorful, with the versatility to be used in non-traditional settings such as windows and contoured roofs. However, up until now, application has been impacted by potential environmental risks. Perovskite solar cells contain lead, a cumulative toxin, and if the cells get damaged, lead ions may leak.

Taking lessons from nature, Professor Brian Saunders and Dr. David Lewis have devised a way to eliminate the lead release from broken cells. Using a bioinspired mineral called hydroxyapatite, a major constituent of human bone, they have created a 'failsafe' which captures the lead ions in an inorganic matrix. As a result, if cells are damaged, toxins are stored in an inert mineral, rather than released in the environment.

In a dual success, The Engineering and Physical Sciences Research Council (EPSRC)-funded project found that through the addition of hydroxyapatite, the efficiency of perovskite solar cell increased to around 21%. This compares to around 18% efficiency for control cells with no added hydroxyapatite. An increased efficiency in panels means more energy can be generated and at a lower cost.

"Up until now, the substantial lead component in [perovskite solar cells](#) has been a potential environmental concern. If the solar cells are damaged, for example by hail, the ions may leak. By creating an in-device fail-safe system, we have devised a way to contain toxic ions in damaged perovskite cells. Through increasing the inherent safety of perovskite solar cells, we hope our research will provide a helping hand to the wider deployment of solar technology as we strive to achieve net zero CO₂ emissions," says Professor Brian Saunders.

The research team hope that the cells will bring forward the large-scale

application of perovskite solar cell technology. Professor Brian Saunders, Professor of Polymer and Colloid Chemistry at the School of Materials, The University of Manchester, said: "Up until now, the substantial lead component in perovskite solar cells has been a potential environmental concern. If the solar cells are damaged, for example by hail, the ions may leak.

"By creating an in-device fail-safe system, we have devised a way to contain toxic ions in damaged perovskite cells. Through increasing the inherent safety of perovskite solar [cells](#), we hope our research will provide a helping hand to the wider deployment of solar technology as we strive to achieve net zero CO₂ emissions."

Dr. David Lewis, Deputy Head of Department and Reader in Materials Chemistry, added, "We embarked on this research as we were committed to eliminating an environmental risk. That commitment has resulted in increasing both the sustainability and the efficiency of [perovskite solar cells](#). We hope these dual outcomes will increase the viability for homes and businesses, worldwide, to host and use solar technology."

More information: Muhamad Z. Mokhtar et al. Bioinspired scaffolds that sequester lead ions in physically damaged high efficiency perovskite solar cells, *Chemical Communications* (2020). [DOI: 10.1039/D0CC02957B](https://doi.org/10.1039/D0CC02957B)

Provided by University of Manchester

Citation: Research helps solar technology become more affordable (2021, February 18) retrieved 4 April 2024 from <https://techxplore.com/news/2021-02-solar-technology.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.