


An autonomous underwater robot saves people from drowning

March 1 2021



During testing at the Hufeisensee lake, the dummy did not slip out of the securing mechanism as it was taken to the surface. Credit: S.Thomas (Wasserwacht Halle)

Many swimming pools in Germany do not have enough trained lifeguards and in many places, this skilled labor shortage is even leading to closures. The solution could be a floating underwater rescue robot, which is intended to support rescue staff in emergencies in the future. A research team from the Fraunhofer Institute for Optronics, System Technologies and Image Exploitation IOSB in Ilmenau developed the underwater vehicle with the help of Halle's water rescue service, Wasserrettungsdienstes Halle e.V.

According to the German life-saving association, the Deutsche Lebensrettungsgesellschaft (DLRG), nearly 420 people drowned in Germany in 2019, with the majority losing their lives in fresh water lakes. However, [fatal accidents](#) also occurred in [swimming pools](#). One reason for this is the countrywide lack of trained lifeguards to watch over pools. A team of researchers from the Institute for Advanced Systems Technology (AST) of Fraunhofer IOSB is aiming to improve this situation, by developing an aquatic [robot](#), the only one of its kind worldwide. This robot will assist lifeguards and lifesavers, and [rescue](#) swimmers in emergencies. The scientists have used their years of expertise in the area of underwater robotics to develop this autonomous system. They have already designed an [autonomous underwater vehicle](#) that has won numerous awards—DEDAVE.

"There are typical postures that you can use to recognize when someone is in danger," says computer scientist Helge Renkewitz, who led the already finished project in close collaboration with Wasserrettungsdienst Halle e.V. The project was funded by the German Federal Ministry for Economic Affairs and Energy (BMWi). Surveillance cameras mounted on the swimming pool's ceiling register the movement patterns and position of the drowning person in the pool, and send the coordinates to the robot. It is safely stored away from prying eyes in a docking station on the swimming pool floor, which opens in an emergency. Once the vehicle has reached its destination, it locates the endangered person and

carries them to the surface. A mechanism for fixing the rescuee in place prevents lifeless bodies from sliding down as they surface. This mechanism can also be mounted on other underwater vehicles.



Prototype modeled on a ray: In the future, the robot will resemble the streamlined cartilaginous fish. Credit: prefrontal cortex and a.muse

Successful open-water testing

At swimming lakes, drones and zeppelin systems take on the task of the [surveillance cameras](#). "These drones and advertising balloons can easily be fitted with cameras," says Renkewitz. For rescues in swimming lakes where the visibility is restricted, the underwater vehicle must be equipped with acoustic sensors instead of optical ones. Sound wave echoes can be used to determine people's positions and orientation so

precisely that the robot can autonomously head for the target person and pick them up.

This has been proven to work in practice, through the very impressive open-water testing that researchers conducted at the Hufeisensee lake in Halle (Saale). An 80-kilogram dummy was deposited at a depth of three meters. The robot then picked it up, secured it in place, brought it to the surface within a second, and carried it via the shortest route—a distance of 40 meters—to shore, where the rescue team was already waiting. When the robot is informed of an emergency, a signal alerts the team immediately. "The full rescue operation lasted just over two minutes. Casualties must be resuscitated within five minutes to avoid long-term damages of the brain. We were able to stay within this critical time frame without any problems," says Renkewitz.



The aquatic robot transports the dummy to shore via the shortest route.©
Fraunhofer IOSB-AST

The future outlook

Equipped with batteries, motor, cameras, and optical and navigational sensors, the current system is 90 centimeters long, 50 centimeters high, and 50 centimeters wide. The objective of Renkewitz's team is to further reduce the size of the rescue system and build different versions for use in swimming pools and lakes. They aim to make it smaller, lighter, and more cost-effective than the current prototype, which is based on a pre-existing [underwater vehicle](#). Instead, the future robot will have the

streamlined design of a manta ray.

A patent has already been filed for the aquatic robot. In modified versions, it can take on further tasks—such as offshore and dam wall inspections or being used to monitor the health of fish in fish farms. "Our underwater vehicles have a very broad range of applications. For example, they are also suitable for detecting and verifying archaeological artifacts at the bottom of lakes," explain the researchers.

Provided by Fraunhofer-Gesellschaft

Citation: An autonomous underwater robot saves people from drowning (2021, March 1)
retrieved 2 March 2024 from

<https://techxplore.com/news/2021-03-autonomous-underwater-robot-people.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.