

# Finding key to low-cost, fast production of solid-state batteries for EVs

March 8 2021

---



A new Georgia Tech manufacturing process could enable battery makers to produce lighter, safer, and more energy-dense batteries. Credit: Allison Carter, Georgia Tech

A new fabrication technique could allow solid-state automotive lithium-

ion batteries to adopt nonflammable ceramic electrolytes using the same production processes as in batteries made with conventional liquid electrolytes.

The melt-infiltration technology developed by materials science researchers at the Georgia Institute of Technology uses [electrolyte](#) materials that can be infiltrated into porous yet densely packed, thermally stable electrodes.

The one-step process produces high-density composites based on pressure-less, capillary-driven infiltration of a molten solid electrolyte into porous bodies, including multilayered electrode-separator stacks.

"While the melting point of traditional solid state electrolytes can range from 700 degrees Celsius to over 1,000 degrees Celsius, we operate at a much lower temperature range, depending on the electrolyte composition, roughly from 200 to 300 degrees Celsius," explained Gleb Yushin, a professor in the School of Materials Science and Engineering at Georgia Tech. "At these [lower temperatures](#), fabrication is much faster and easier. Materials at low temperatures don't react. The standard electrode assemblies, including the polymer binder or glue, can be stable in these conditions."

The new technique, to be reported March 8 in the journal *Nature Materials*, could allow large automotive Li-ion batteries to be made safer with 100% solid-state nonflammable ceramic rather than liquid electrolytes using the same manufacturing processes of conventional liquid electrolyte battery production. The patent-pending manufacturing technology mimics low-cost fabrication of commercial Li-ion [cells](#) with liquid electrolytes, but instead uses solid state electrolytes with low melting points that are melted and infiltrated into dense electrodes. As a result, high-quality multi-layered cells of any size or shape could be rapidly manufactured at scale using proven tools and processes

developed and optimized over the last 30 years for Li-ion.

"Melt-infiltration technology is the key advance. The cycle life and stability of Li-ion batteries depend strongly on the operating conditions, particularly temperature," Georgia Tech graduate student Yiran Xiao explained. "If batteries are overheated for a prolonged period, they commonly begin to degrade prematurely, and overheated batteries may catch on fire. That has prompted nearly all electric vehicles (EV) to include sophisticated and rather expensive cooling systems." In contrast, solid-state batteries may only require heaters, which are significantly less expensive than cooling systems.

Yushin and Xiao are encouraged by the potential of this manufacturing process to enable battery makers to produce lighter, safer, and more energy-dense batteries.



Georgia Tech Professor Gleb Yushin, at a campus EV charging station, sees melt-infiltration technology opening the floodgates to more Li-ion battery innovation. Credit: Allison Carter, Georgia Tech

"The developed melt-infiltration technology is compatible with a broad range of material chemistries, including so-called conversion-type electrodes. Such materials have been demonstrated to increase automotive cell energy density by over 20% now and by more than 100% in the future," said co-author and Georgia Tech research scientist Kostiantyn Turcheniuk, noting that higher density cells support longer driving ranges. The cells need high-capacity electrodes for that

performance leap.

Georgia Tech's technique is not yet commercially ready, but Yushin predicts that if a significant portion of the future EV market embraces solid-state batteries, "This would probably be the only way to go," since it will allow manufacturers to use their existing production facilities and infrastructure.

"That's why we focused on this project—it was one of the most commercially viable areas of innovation for our lab to pursue," he said.

Battery cell prices hit \$100 per kilowatt hour for the first time in 2020. According to Yushin, they will need to drop below \$70 per kilowatt hour before the consumer EV market can fully open. Battery innovation is critical to that occurring.

The Materials Science lab team currently is focused on developing other electrolytes that will have lower melting points and higher conductivities using the same technique proven in the lab.

Yushin envisions this research team's manufacturing advance opening the floodgates to more innovation in this area.

"So many incredibly smart scientists are focused on solving very challenging scientific problems, while completely ignoring economic and technical practicality. They are studying and optimizing very high-temperature electrolytes that are not only dramatically more expensive to use in cells but are also up to five times heavier compared with liquid electrolytes," he explained. "My goal is to push the research community to look outside that chemical box."

**More information:** Yiran Xiao et al, Electrolyte melt infiltration for scalable manufacturing of inorganic all-solid-state lithium-ion batteries,

*Nature Materials* (2021). [DOI: 10.1038/s41563-021-00943-2](https://doi.org/10.1038/s41563-021-00943-2)

Provided by Georgia Institute of Technology

Citation: Finding key to low-cost, fast production of solid-state batteries for EVs (2021, March 8) retrieved 23 April 2024 from

<https://techxplore.com/news/2021-03-key-low-cost-fast-production-solid-state.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.