


# Knitting roads: Digitalized road construction uses no concrete

March 24 2021

---



The robotic arm lays out the "knitting pattern." Empa researchers are investigating different patterns in a number of test series. Credit: Empa

A robotic arm lays out a string in a mandala-like pattern on a bed of gravel. What appears to be a contemporary art performance is basic research that explores new ways in road construction. On the one hand, robot-assisted construction techniques for road building are being tested that have so far only been used in structural engineering. On the other hand, a new type of mechanical reinforcement is intended to change the typical structure of the road surface and thus to help save valuable resources in future or even to recycle road surfaces altogether.

## **An idea from structural engineering**

The idea originates from a project of the Gramazio Kohler Research lab at ETH Zurich. Here the project was actually raised as an art and research project. Pillars piled up purely from strings and gravel demonstrated that outstanding stability can be achieved by simply interlocking the gravel with a thread—without any cement as a binder! Laboratory tests showed that gravel pillars with a height of 80 cm and a diameter of 33 cm can withstand a pressure of 200 kN, which corresponds to a load of 20 tons.

Asphalt also consists of rocks of various sizes and a binder, bitumen. Thus Martin Arraigada and Saeed Abbasion from Empa's "Concrete & Asphalt" lab transferred this concept to [road construction](#): "We want to find out how a recyclable pavement could be produced in the future. To do this, we are using digitalized construction methods in road construction for the first time," explains Arraigada.

A string-reinforced road surface that does not require bitumen promises

a number of advantages. Since bitumen is extracted from crude oil, air pollutants are released during production and also later during use. What's more, it makes asphalt susceptible to cracking and deformation and, on top of that, impermeable to rainwater—this too could be overcome. For the researchers, it is also conceivable that rock could be used that is otherwise not suitable for road construction, but is less rare. Last but not least, the process allows for a rollable and recyclable pavement.

## **A string and loose gravel**

The two Empa researchers are using various experimental setups to test solutions for the above-mentioned aspects. The [robotic arm](#) plays a central role. It places the string in a programmed pattern on the layers of gravel stacked on top of each other. For the mechanical tests, five of these layers of gravel and thread are placed on top of each other in a test box, with the floor of the box covered with a rubber mat that fixes the whole package to the ground. It simulates the deformable bed, to which the pavement is applied. The fact that the string is exactly the same as the one used by every Swiss citizen for bundling waste paper shows that Empa researchers are breaking completely new (and cost-effective) ground here.

## **Mechanical tests and computer modeling**

The gravel-thread package is then loaded with a rotating plate and with pressure. This load [test](#) demonstrated that entangling the individual [gravel](#) stones with the thread, the package can withstand a pressure of 5 kN—half a ton—without displacing the stones. Normally, the binder bitumen performs this task in asphalt. Dynamic load tests with rolling pressure, similar to the extreme conditions road pavements have to withstand, are soon to be carried out.

In parallel to their lab experiments, the researchers model everything in 3D on the computer using the Discrete Element Method (DEM). This should reveal the displacement of individual stones and the tensile forces acting on the thread—something that cannot be investigated in the lab. In addition, different patterns and mesh widths and their effects on the stability of the pavement will also be examined in more detail.

The research of Martin Arraigada and Saeed Abbasion has not yet resulted in a final product that is ready to be used in [road construction](#). However, their research provides a lot of innovative potential to get closer to a recyclable and possibly rollable road pavement with simple means.

Provided by Swiss Federal Laboratories for Materials Science and Technology

Citation: Knitting roads: Digitalized road construction uses no concrete (2021, March 24)  
retrieved 27 April 2024 from  
<https://techxplore.com/news/2021-03-roads-digitalized-road-concrete.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--