

Green hydrogen: Transportation in the natural gas grid

April 1 2021



The 19 channels in the carbon membrane enlarge its surface area, and this in turns encourages a higher substance throughput. Credit: Fraunhofer-Gesellschaft

Researchers at the Fraunhofer-Gesellschaft have developed a technology for the energy-efficient and economic separation of hydrogen from

natural gas. This membrane technology makes it possible for the two substances to be routed through the national natural gas grid together and then isolated from one another at their final destination. A major step forward in the transportation and distribution of hydrogen as an energy source.


Alongside ceramic-based materials, the Fraunhofer Institute for Ceramic Technologies and Systems IKTS is researching the potential of other materials such as carbon, for example. This material could play a key role in the movement towards hydrogen as an energy source. Hydrogen is seen as a beacon of hope for establishing a CO₂-free energy supply. If hydrogen is collected from renewable sources such as wind and [solar power](#), there are no climate-damaging emissions. But how do we move this "green" hydrogen from the producer to the consumer? Germany still does not have an extensive distribution network for hydrogen.

The HYPOS (Hydrogen Power Storage & Solutions East Germany) project initiative is working to solve this dilemma. The aim is to create an intelligent infrastructure of distributor networks and storage stations that will make the clean energy source available to all regions.

Distribution of hydrogen through the natural gas grid

The HYPOS project partners are pursuing the idea, among other approaches, of transporting the hydrogen (H₂) along with the natural gas (the principal component being methane, CH₄). After all, Germany does have a 511,000 kilometer long gas grid and 33 gas storage locations.

"The advantage of this infrastructure is that it allows hydrogen to be fed into the natural gas grid as well. The two substances can be transported together in one line. Once they arrive at the destination, we can separate them from one another again as needed," explains Dr. Adrian Simon, Group Manager at Fraunhofer IKTS.




How does a membrane work in principle? The gas mixture is surrendered to the input side of the membrane. The small hydrogen molecules pass through the membranes and the larger methane molecules are held back. Credit: Andreas Junghans GmbH

This is where carbon comes in. It forms an ultrathin layer on porous, ceramic substrates where it acts as a membrane, separating natural gas and hydrogen from one another. There are various processes involved in membrane production, starting with custom polymer synthesis. Polymers are substances consisting of branched macromolecules. These are then applied to the porous substrate. When the polymer is heated up and starved of oxygen at the same time, it forms a layer of carbon on its surface. The pores in the carbon are less than a nanometer in diameter, and this makes them effective for gas separation. Physical and [chemical](#)

[processes](#) can be employed to adapt the membrane's separation behavior even further. Fraunhofer IKTS has been collaborating with Leipzig-based DBI Gas- und Umwelttechnik GmbH to develop tubular carbon membranes.

During the separation process, hydrogen and natural gas are pushed through the tubular modules. The smaller hydrogen molecules are forced through the pores in the membrane and reach the outside in the form of gas, the larger methane molecules on the other hand are held back. "This gives us hydrogen with an 80 percent degree of purity. We then filter the residual natural gas in a second separation step. The end result is a purity of over 90 percent," explains Simon.

Emission-free power and heat supply in buildings



Exposure in the scanning electron microscope: Carbon membrane with a layer thickness of less than 1 micrometer. Credit:

We can use hydrogen with this degree of purity for various applications: In steel production for example. In high-temperature furnaces, it replaces carbon in the process of reducing iron ore to iron, making an important contribution to cutting CO₂ emissions. Hydrogen is also an attractive option for the climate-friendly energy supply to buildings.

When combusted, hydrogen generates power and heat, the only by-product is water. Combined heat and power systems (CHP), for example, could supply clean power and heat energy to individual building complexes. We could also conceivably use them in gas-fired boilers.

The researchers at Fraunhofer IKTS are currently working on scaling the technology to an extent that will allow the separation of larger volumes of [natural gas](#) and [hydrogen](#). The construction of prototypes is already in the pipeline.

Provided by Fraunhofer-Gesellschaft

Citation: Green hydrogen: Transportation in the natural gas grid (2021, April 1) retrieved 10 April 2024 from <https://techxplore.com/news/2021-04-green-hydrogen-natural-gas-grid.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--