


Perovskite solar cells exceed 25% power-conversion efficiency

April 21 2021



Highly luminescent and stable alpha-FAPbI₃ perovskite via HCOO⁻ anion engineering. Credit: Jin Young Kim (UNIST)

Perovskites are hybrid compounds that can be made from metal halides and organic constituents. Their attractive structural and electronic properties have placed them at the forefront of materials' research, with enormous potential for transforming a wide range of applications, including in solar cells, LED lights, lasers, and photodetectors.

Metal-halide perovskites in particular show great potential as light harvesters for thin-film photovoltaics. One of the leading candidates among [metal halide perovskites](#) is formamidinium lead triiodide (FAPbI₃), which has emerged as the most promising semiconductor for highly efficient and stable perovskite [solar cells](#). Consequently, scientists have been trying to maximize its performance and stability.

Now, a team of scientists led by Professor Michael Grätzel at EPFL's School of Basic Sciences have employed a new chemical trick that greatly amplifies the performance of FAPbI₃. Using this approach results in solar cell devices with power-conversion efficiency up to 25.6%, operational stability of at least 450 hours, and intense electroluminescence, with external quantum efficiency (the amount of light that the cell can produce when passing an electric current) exceeding 10%. The work is published in *Nature*.

The scientists accomplished the feat with an "anion engineering concept" that augments the crystallinity of the FAPbI₃ films and eliminates defects. By introducing the pseudo-halide anion formate (HCOO⁻) to the mix, they were able to suppress structural defects that usually present at grain boundaries and at the surface of perovskite films.

The authors write: "Our findings provide a direct route to eliminate the most abundant and deleterious lattice defects present in metal halide perovskites, providing a facile access to solution-processable films with improved optoelectronic performance."

More information: Jaeki Jeong et al. Pseudo-halide anion engineering for α -FAPbI₃ perovskite solar cells, *Nature* (2021). [DOI: 10.1038/s41586-021-03406-5](https://doi.org/10.1038/s41586-021-03406-5)

Provided by Ecole Polytechnique Federale de Lausanne

Citation: Perovskite solar cells exceed 25% power-conversion efficiency (2021, April 21)
retrieved 19 April 2024 from

<https://techxplore.com/news/2021-04-perovskite-solar-cells-power-conversion-efficiency.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.